

# INDEX

## A

- Abciximab, 662  
  in coronary artery disease, 593
- Abdominal aortic aneurysm, 569–573
- Abdominal pain, in peripheral arterial disease, 562
- Abscess, dental, 497–498
- Abuse, elder, 843–847
- Acarbose, 423
- Acebutolol  
  in abnormal heart rhythms, 622  
  in coronary artery disease, 593–594  
  in heart failure, 614  
  in high blood pressure, 548
- Acetaminophen  
  alcohol interactions with, 388  
  for pain, 290  
  side effects of, 291
- Acetylcholine, 48  
  in Alzheimer’s disease, 320  
  in delirium, 302  
  in dementia, 307
- Acetyl-L carnitine, 60
- Achalasia, 737, 741
- Ache (*see* Pain)
- Achilles bursitis, 515
- Achilles tendinitis, 515
- Acidosis, 757
- Acid reflux, 736, 738, 743–747
- Acne rosacea, 434, 436–437
- Acrochordon, 435
- Actinic keratosis, 713
- Action tremor, 357–360
- Activated protein C resistance, 659
- Activities of daily living, 22  
  assistive devices for, 154, 155  
  in dementia, 314–315  
  therapy for, 145–146, 166
- Acupuncture, 74–75, 289  
  in rehabilitation, 148
- Adalimumab, 527
- Adenosine, 623
- Adipose tissue (*see* Fat, body)
- Adjuvant therapy, in cancer, 677
- Adsorbents, in diarrhea, 758
- Adult day care, 182–183
- Adult Protective Services, 847
- Advance directive, 192–193, 851–853  
  in cancer, 680  
  in COPD, 734  
  in heart failure, 617  
  in Parkinson’s disease, 367  
  in progressive supranuclear palsy, 369
- Advanced sleep phase syndrome, 385
- Aerobic exercise, 148–149, 809  
  in arthritis, 812  
  in coronary artery disease, 813  
  after stroke, 817
- Age-related macular degeneration, 458–460  
  driving and, 828
- Age spots, 435
- Aging, 1–25  
  of arteries, 15  
  of bladder, 16, 769

- Aging (*continued*)
- body water changes with, 214
  - of bones, 12–13
  - of brain, 14
  - of breasts, 17
  - of cartilage, 13
  - of cells, 4–5
  - demographics of, 18–20, 25
  - of digestive system, 15–16, 201
  - driving skill changes with, 827
  - of ears, 10–11
  - of endocrine system, 17
  - of eyes, 7, 9–10
  - of female genitals, 780
  - function decline with, 5–6
  - healthy, 4, 6
  - of heart, 14, 15
  - of immune system, 18
  - information resources on, 881–882
  - intimacy and, 832
  - of joints, 12–13
  - of kidneys, 16
  - of liver, 16
  - of lungs, 15
  - of mouth, 11
  - of muscles, 13–14
  - of nervous system, 14
  - of nose, 11
  - nutritional changes with, 35–39
  - of organs, 5, 7–18
  - of ovaries, 16–17
  - of reproductive organs, 16–17
  - self-image changes with, 835
  - sexual changes with, 780–781, 788–789, 791, 804
  - of skin, 11–12, 430–431
  - sleep pattern changes with, 372
  - social changes with, 819–826
  - temperature control and, 223–224, 227–228
  - of testes, 17
  - of urethra, 769
  - of urinary tract, 16
  - of voice, 486
  - worldwide, 25
- AIDS (*see* HIV infection)
- Air-conditioning, 229
- Air-fluidized bed, 447
- Airways
- defense mechanisms of, 718
  - obstruction of, 725–734
    - after surgery, 143
- Akathisia, 356–357
- Albumin, in undernutrition, 204
- Albuterol, 730
- Alcohol
- drug interactions with, 388
  - medicinal herb interactions with, 58
- Alcohol use and abuse, 30, 388
- acid reflux and, 744
  - arrhythmias with, 619
  - in cardiomyopathy, 606
  - delirium with, 300
  - dementia with, 309
  - erectile dysfunction with, 801
  - gout and, 531
  - in heart failure, 610
  - high blood pressure and, 547
  - hypothermia and, 225
  - information resources on, 882
  - mouth cancer and, 701
  - osteoporosis and, 257
  - platelet count and, 656
  - tremor and, 559
  - undernutrition and, 203, 206
  - urinary incontinence with, 771
- Aldosterone, aging-related changes in, 17
- Aldosterone antagonists, 612, 615
- Alendronate, 263
- Alfuzosin, 794
- Allergist, 86
- Allergy and allergic reactions
- to chamomile, 61
  - to chondroitin, 61
  - to echinacea, 63
  - to glucosamine, 67
  - to influenza vaccine, 724
  - rhinitis, 487–488
  - sinusitis, 489, 491
- Allergy shots, 487–488
- Allicin, 64
- Allopurinol
- in gout, 533, 534
  - in multiple myeloma, 706

- Alpha agonists, urinary incontinence with, 771
- Alpha-beta-blockers, 548, 550
- Alpha-blockers
  - in benign prostatic hyperplasia, 794
  - fainting with, 241
  - in high blood pressure, 548, 550
  - in prostatitis, 796
  - urinary incontinence with, 771
- 5-Alpha reductase blockers, 794
- Alprostadil, 802
- Alteplase
  - in coronary artery disease, 595
  - in stroke, 336
- Alternative medicine, 52–76
  - in cancer, 678
  - safety of, 54–55
- Alzheimer's disease, 319–322
  - acetyl-L carnitine in, 60
  - amyloid angiopathy in, 329
  - driving and, 827
  - ginkgo biloba in, 66
  - information resources on, 882
  - intimacy and, 837–838
- Amantadine
  - in influenza, 724, 725
  - in Parkinson's disease, 365, 366
- Amaurosis fugax, 462
- American Board of Specialties, 79
- American Medical Association, 79
- Amiloride, 217
- Amiodarone
  - in abnormal heart rhythms, 622–623
  - in atrial flutter and fibrillation, 630
  - hyperthyroidism with, 410
  - hypothyroidism with, 408, 409
  - in ventricular tachycardia, 631–632
- Amitriptyline
  - in depression, 45, 394
  - urinary incontinence with, 771
- Amlodipine
  - in coronary artery disease, 594
  - in high blood pressure, 549
- Amputation
  - information resources on, 882
  - leg, 159–161, 564
- Amyloid angiopathy, 329
- Amyloidosis, 347
  - in multiple myeloma, 704
- Amyloid plaques, 319
- Amyotrophic lateral sclerosis, swallow-  
ing difficulty in, 737
- Anabolic steroids, medicinal herb inter-  
actions with, 56
- Anagrelide
  - in polycythemia, 668
  - in thrombocytopenia, 665
- Anakinra, 527
- Analgesics, 290–294
  - in cancer, 678–679
  - opioid (*see* Opioids)
  - in postsurgical pain, 142
  - in prostatitis, 796
  - during rehabilitation, 148
  - in terminal illness, 186
- Anastrozole, 688
- Androgens (*see also* Testosterone)
  - in myelofibrosis, 669–670
- Anemia, 649–655
  - aplastic, 650, 651
  - in bleeding, 650, 652–653, 654
  - causes of, 650–652
  - of chronic disease, 650, 655
  - in chronic lymphocytic leukemia, 691
  - dizziness with, 235
  - fainting with, 241, 245
  - in folic acid deficiency, 650, 654–655
  - hemolytic, 651
  - iron deficiency, 650, 654
  - in multiple myeloma, 703, 705
  - in myelofibrosis, 668
  - pernicious, 650
  - in rheumatoid arthritis, 525
  - in vitamin B<sub>12</sub> deficiency, 650, 652,  
654–655
- Anesthesia, 140–141
- Anesthesiologist, 86
- Anesthetics, 294
- Aneurysm, 568–573
  - brain, 329
  - rupture of, 569–571, 572, 573
  - surgical risk and, 137–138
  - in temporal arteritis, 539–540, 541,  
542

- Angina, 557, 582, 585–586  
 emergency treatment of, 599–600
- Angiography  
 in aortic aneurysm, 571  
 in aortic dissection, 568  
 cardiac, 101, 114–115  
 in clotting disorders, 661  
 in coronary artery disease, 588–589  
 fluorescein, 459, 461, 463  
 peripheral artery, 562  
 pulmonary artery, 578  
 in stroke, 333
- Angioma, 435
- Angioplasty  
 carotid, 335  
 coronary, 596–598  
 exercise after, 813  
 in heart attack, 600  
 in peripheral arterial disease, 564
- Angiotensin-converting enzyme (ACE)  
 inhibitors  
 in aortic regurgitation, 645  
 in coronary artery disease, 592, 596  
 in diabetes, 427  
 fainting with, 241  
 after heart attack, 601  
 in heart failure, 611, 614  
 in heart valve disorders, 639  
 in high blood pressure, 548, 550  
 high potassium levels with, 221  
 urinary incontinence with, 771
- Angiotensin II receptor blockers  
 in coronary artery disease, 592  
 in diabetes, 427  
 in heart failure, 614  
 in high blood pressure, 548, 550
- Anistreplase, 595
- Ankle brace, 150, 158
- Anoscopy, 759–760
- Antacids  
 constipation with, 750  
 diarrhea with, 757  
 in gastroesophageal reflux, 747  
 side effects of, 52
- Antianxiety drugs, 399–400  
 medicinal herb interactions with, 58  
 in shortness of breath, 187
- Antiarrhythmic drugs, 621–624  
 in atrial flutter and fibrillation, 629–630  
 intravenous, 626  
 in ventricular tachycardia, 631–632
- Antibiotics  
 in atrophic rhinitis, 488  
 in COPD, 732  
 dizziness with, 232  
 esophageal damage with, 738  
 in pneumonia, 721  
 in prostatitis, 796  
 in rosacea, 436–437  
 in sinusitis, 490  
 in urinary tract infection, 765–766  
 in venous ulcers, 449
- Antibodies  
 in antiphospholipid syndrome, 659  
 in idiopathic thrombocytopenic purpura, 656, 657  
 in multiple myeloma, 704  
 in rheumatoid arthritis, 528
- Anticardiolipin antibodies, 659
- Anticholinergic effects, 48–49, 52, 141
- Anticoagulants, 662  
 in atrial flutter and fibrillation, 630  
 in clotting factor disorders, 661–662  
 in coronary artery disease, 592  
 in deep vein thrombosis, 580  
 discontinuation of  
 before colonoscopy, 116  
 before electromyography, 120  
 before esophagogastroduodenoscopy, 118  
 before prostatic biopsy, 121  
 before skin biopsy, 122  
 after heart attack, 601  
 in heart failure, 613, 615  
 in heart valve disorders, 640–641  
 medicinal herb interactions with,  
 54–55, 56, 57, 58, 59  
 platelet count and, 656  
 in retinal embolism, 464  
 in stroke prevention, 324, 335
- Anticonvulsants  
 in dementia, 317  
 medicinal herb interactions with, 55,  
 57

- Anticonvulsants (*continued*)
  - in pain management, 294
  - in shingles, 441–442
  - in tremor, 359
  - in trigeminal neuralgia, 342
  - vitamin D deficiency and, 221
- Anticytokines, 527, 528
- Antidepressants, 392–395
  - in anxiety, 399–400
  - constipation with, 750
  - delirium with, 301
  - dizziness with, 234
  - end-of-life care and, 191
  - fainting with, 241
  - in insomnia, 378
  - medicinal herb interactions with, 57, 58, 59
  - movement disorder with, 356–357
  - in pain management, 294
  - in shingles, 442
  - undernutrition and, 202, 203
  - urinary incontinence with, 771
  - weight gain with, 211
- Antidiabetic drugs, 421, 422–423
  - medicinal herb interactions with, 56, 57
- Antidiuretic hormone, excess of
  - low sodium level and, 219
  - overhydration with, 216, 218
- Antiemetics, delirium with, 301
- Antifungals, 518
- Antihistamines, 45
  - in allergic rhinitis, 487
  - constipation with, 750
  - delirium with, 301
  - dizziness with, 234, 237
  - in insomnia, 378
  - medicinal herb interactions with, 58
  - platelet function and, 656
  - in polycythemia, 668
  - side effects of, 52
  - urinary incontinence with, 771
  - in vasomotor rhinitis, 488
- Antihyperglycemic drugs, 421, 422–423
  - medicinal herb interactions with, 56, 57
- Antihypertensive drugs, 547–550
  - constipation with, 750
  - delirium with, 301
  - dizziness with, 235
  - in heart valve disorders, 639–640
  - medicinal herb interactions with, 58
- Anti-interleukin-1 receptor antagonists, 527
- Antioxidants, 2
- Antiphospholipid syndrome, 659
- Antiplatelet drugs, 662
  - in clotting disorders, 662–663
  - in coronary artery disease, 591, 592–593, 595
  - after heart attack, 601
  - medicinal herb interactions with, 56, 57, 58
  - in peripheral arterial disease, 563–564
  - in stroke prevention, 335
- Antipsychotic drugs, 45, 403–405
  - in delirium, 306
  - delirium with, 301
  - in dementia, 317
  - in depression, 393
  - dizziness with, 234
  - medicinal herb interactions with, 57, 58
  - movement disorder with, 356–357
  - swallowing difficulty with, 737
  - undernutrition and, 203
  - urinary incontinence with, 771
- Antispasmodic drugs, 45, 301
- Antithrombin III deficiency, 659
- Antiviral drugs
  - in influenza, 724, 725
  - in Parkinson's disease, 365, 366
  - in shingles, 441
- Anus
  - in constipation, 751
  - in fecal incontinence, 760
  - inflammation of, 190
  - sphincter of, 760
- Anxiety, 396–400
  - in dementia, 311, 392
  - drug treatment of (*see* Antianxiety drugs)
  - at end of life, 190–191

- Anxiety (*continued*)  
 function and, 6  
 after heart attack, 587  
 after loved one's death, 196  
 over sexual performance, 791  
 sleep disturbance with, 375  
 undernutrition and, 202, 206
- Aorta, 551, 552  
 aneurysm of, 568–573  
   rupture of, 569–571, 572  
   surgical risk and, 137–138  
   in temporal arteritis, 539–540, 541, 542  
 dissection of, 566–568
- Aortic valve, 583, 636  
 bicuspid, 643  
 narrowing (stenosis) of, 642–644  
   heart failure and, 608  
   sexual activity and, 803  
 regurgitation of, 644–645  
 thickening (sclerosis) of, 643
- Aphasia  
 rehabilitation for, 162  
 in stroke, 330
- Aphthous stomatitis, 507
- Aplastic anemia, 650, 651
- Apnea, sleep, 382–384
- Apolipoprotein E (apo E), 320
- Apoptosis, 5
- Appetite  
 drug stimulation of, 206  
 loss of  
   age-related, 201  
   at end of life, 188–189
- Apraxia, 162–163
- Arch pain, 514–516
- Arcus senilis, 10
- Argatroban, 662
- Aripiprazole, 404–405
- Arm fracture, 282
- Aromatase inhibitors, 688
- Arrhythmias, 617–636  
 atrial fibrillation, 628–631, 660  
 atrial flutter, 628–631  
 dizziness with, 234  
 drug-related, 618  
 emergency treatment of, 626
- Arrhythmias (*continued*)  
 fainting with, 239, 242  
 after heart attack, 586  
 heart block, 635–636  
 in heart valve disorders, 638  
 with high potassium levels, 221  
 in hyperthyroidism, 411  
 with hypothermia, 225–226  
 in lung cancer, 698  
 outlook for, 626–627  
 premature beats, 627  
 sexual activity and, 803  
 sick sinus syndrome, 633–634  
 sinus bradycardia, 633–634  
 surgical risk and, 137  
 treatment of, 621–626  
 ventricular fibrillation, 626, 632–633  
 ventricular tachycardia, 631–632
- Arteries, 551–553  
 aging of, 15  
 aneurysm of, 568–573  
 collateral, 565  
 dilation of, 551, 553  
 hardening of, 553–566 (*see also*  
   Atherosclerosis)  
 in high blood pressure, 542–543  
 in temporal (giant cell) arteritis,  
 537–542
- Arteriography (*see* Angiography)
- Arteriovenous malformation, 329
- Arteritis, temporal, 464, 465, 537–542  
 blood clots with, 659
- Arthritis, 518–539  
 chondroitin in, 61  
 degenerative (osteoarthritis), 519–524  
 dizziness with, 233  
 driving and, 828  
 exercise in, 811–813  
 glucosamine in, 67  
 in gout, 531  
 with hip fracture, 277  
 infectious (septic), 536–537  
   with pressure sores, 445  
 information resources on, 882  
 in obesity, 212  
 rheumatoid, 524–534  
 undernutrition and, 202

- Arthroplasty (joint replacement)
- hip, 278–280
    - in osteoarthritis, 523
    - rehabilitation after, 158–159
    - in rheumatoid arthritis, 529
  - knee, 524
    - in osteoarthritis, 523
    - rehabilitation after, 159
    - in rheumatoid arthritis, 529
- Arthroscopy, 100
- Artificial leg, 160–161
- Ascorbic acid (*see* Vitamin C [ascorbic acid])
- Aspiration
- after esophagogastroduodenoscopy, 118
  - in gastroesophageal reflux, 745
  - with swallowing disorders, 739
- Aspiration (needle)
- in gout, 531
  - in infectious arthritis, 537
  - in pseudogout, 535–536
- Aspiration pneumonia, 720
- after stroke, 332
  - with swallowing disorders, 739
  - with tube feeding, 206
- Aspirin
- alcohol interactions with, 388
  - in clotting disorders, 662–663
  - in coronary artery disease, 591, 592–593, 595
  - discontinuation of
    - before colonoscopy, 116
    - before electromyography, 120
    - before esophagogastroduodenoscopy, 117–118
    - before prostatic biopsy, 121
    - before skin biopsy, 122
  - dizziness with, 232
  - for emergency angina treatment, 599
  - esophageal damage with, 738
  - gout drug interaction with, 534
  - after heart attack, 601
  - medicinal herb interactions with, 56, 57, 58
  - for pain, 290–291
  - in peripheral arterial disease, 563–564
- Aspirin (*continued*)
- platelet function and, 656
  - in polycythemia, 668
  - in rheumatoid arthritis, 526
  - side effects of, 52
  - in stroke prevention, 335
  - in thrombocytopenia, 664
- Assisted living community, 167, 168–169
- in dementia, 315–316
  - overnight care in, 183
- Assisted suicide, 193–194
- Assistive devices, 150–152, 154, 155, 180–181
- in osteoarthritis, 523
  - in rheumatoid arthritis, 529
  - for walking, 150–152, 159
- Asteatotic eczema, 433
- Asterixis (flapping tremor), 353
- Asthma, ginkgo biloba in, 65
- Asymptomatic bacteriuria, 764
- Atelectasis, in lung cancer, 697
- Atenolol
- in abnormal heart rhythms, 622
  - in coronary artery disease, 593–594
  - in heart failure, 614
  - in high blood pressure, 548
- Atheroma (*see* Plaque, atherosclerotic)
- Atherosclerosis, 553–566, 659
- in Alzheimer's disease, 320
  - aneurysm and, 568, 569
  - of coronary arteries, 582–602 (*see also* Coronary artery disease)
  - in diabetes, 417, 427
  - dizziness and, 233
  - erectile dysfunction and, 800
  - garlic and, 64
  - information resources on, 884
  - risk factors for, 555–556
  - stroke and, 326, 328–329
  - treatment of, 557–560
- Atorvastatin, 559
- in coronary artery disease, 590, 594–595
- Atrial fibrillation, 618, 628–631
- blood clots with, 660
  - heart failure and, 607
  - in heart valve disorders, 638, 640

Atrial fibrillation (*continued*)  
  in mitral stenosis, 646  
  stroke in, 619  
Atrial flutter, 618, 628–631  
Atrium (atria), 583, 604  
Atrophic rhinitis, 488  
Atrophic vaginitis, 17, 781–782  
Atrophy  
  muscle, electrical stimulation for,  
    152–153  
  nasal, 488  
  urethral, 770, 775, 781  
  vaginal, 781–782  
  vocal cord, 491–492  
Atropine, 626  
Attitude, toward aging, 6  
Audiologist, 89  
Audiometry, 475  
Autoimmune disorders, 18  
  aplastic anemia and, 651  
  hemolytic anemia and, 651  
  in rheumatoid arthritis, 525  
Automated external defibrillator, 626  
Automobiles  
  accidents in, 826–827  
  driving skills for, 828–830  
Autonomy, 848  
Autumn-winter depression, 387  
Azathioprine, 526  
Azelastine, 488

---

## B

Back pain, chiropractic for, 73  
Baclofen, 356  
Bacteria (*see* Infection)  
Bacterial overgrowth, diarrhea with,  
  756–757  
Bacteriuria, asymptomatic, 764  
Balance  
  aging and, 234–235  
  exercises for, 150, 810  
  problems with, 6, 231  
    falls and, 248  
    in neuropathy, 347  
    in Parkinson's disease, 362  
  testing for, 236–237  
  testing safety and, 103

Balloon catheterization  
  in percutaneous transluminal angio-  
    plasty, 564  
  in percutaneous transluminal coro-  
    nary angioplasty, 596–597  
Balloon dilation, of esophagus, 741  
Barbiturates, 45  
  medicinal herb interactions with, 56,  
    59  
Barium x-ray study  
  in anemia, 654  
  in constipation, 752  
  in gastroesophageal reflux, 745–746  
  in swallowing difficulty, 740  
Barrett's esophagus, 745  
Bartholin's glands, 779  
  cancer of, 714  
Basal cell cancer, 712–714  
Basal ganglia, 352  
  in Parkinson's disease, 360  
  in progressive supranuclear palsy,  
    367  
Bed  
  adjustment of, in gastroesophageal re-  
    flux, 746  
  air-fluidized, 447  
  transfer from, 150  
Bed rest  
  blood clots and, 658  
  constipation and, 750  
  after fracture, 274  
  muscle strength loss with, 13  
  problems from, 128–130, 269  
  in rheumatoid arthritis, 528  
  urinary incontinence and, 129, 772  
Bedsore (*see* Pressure sores)  
Behavior  
  in Alzheimer's disease, 321  
  in dementia, 310–311, 317  
  REM sleep disorder of, 384  
Belladonna alkaloids, 45  
Benazepril  
  in coronary artery disease, 592  
  in heart failure, 614  
  in high blood pressure, 548  
  urinary incontinence with, 771  
Bence Jones proteins, 704

- Benign positional vertigo, 232, 235, 237, 238
- Benign prostatic hyperplasia, 792–795  
 saw palmetto effects on, 71  
 sleep disturbance with, 375  
 urinary incontinence and, 772  
 urinary tract infection with, 763
- Benign senescent forgetfulness, 308
- Benzodiazepines, 45  
 alcohol interactions with, 388  
 in anxiety, 400  
 in delirium, 306  
 delirium with, 301  
 in dementia, 318  
 dizziness with, 234  
 in dystonia, 356  
 in insomnia, 377  
 medicinal herb interactions with, 58, 59
- Benzotropine, 365, 366
- Berberine, 67–68
- Bereavement, 196–197, 821–822  
 information resources on, 884–885  
 sleep disturbance and, 375
- Beta-blockers  
 in abnormal heart rhythms, 622  
 in coronary artery disease, 593–594, 595  
 dizziness with, 234  
 fainting with, 241  
 in glaucoma, 457  
 after heart attack, 601  
 in heart failure, 612, 614  
 in heart valve disorders, 639–640  
 in high blood pressure, 548–549, 550  
 in hyperthyroidism, 412  
 in tremor, 359
- Beta-carotene, 2
- Betaxolol  
 in abnormal heart rhythms, 622  
 in coronary artery disease, 593–594  
 in heart failure, 614
- Bethanechol, 747
- Bicalutamide, 712
- Bicycling, 148–149
- Bifocals, 7
- Big toe  
 bunion and, 511–513  
 gout in, 531
- Biguanides, 421, 422
- Bile acid binders, 559
- Bi-level positive airway pressure (Bi-PAP), 383
- Binswanger's disease, 323
- Bioelectric impedance analysis, 41
- Bioelectromagnetic therapy, 75
- Biofeedback  
 in fecal incontinence, 760  
 in pain management, 290  
 in tinnitus, 482
- Biological age, 3
- Biopsy, 100  
 bone marrow, 653 (*see also* Bone marrow, biopsy of)  
 breast, 684  
 in cancer, 675  
 endometrium, 784–785  
 intestinal, 695  
 lung, 698–699  
 nerve, 348  
 prostate, 121–122, 708  
 skin, 122–123, 434, 713  
 temporal artery, 540  
 thyroid, 413  
 uterus, 784–785
- Bi-PAP (bi-level positive airway pressure), 383
- Bipolar disease, 387, 391, 393, 395  
 information resources on, 885
- Bisacodyl, 753, 754–755
- Bismuth, 758
- Bisoprolol  
 in abnormal heart rhythms, 622  
 in coronary artery disease, 593–594  
 in heart failure, 614  
 in high blood pressure, 548
- Bisphosphonates  
 esophageal damage with, 738  
 for high calcium levels, 222  
 in multiple myeloma, 705  
 in osteoporosis, 263, 264  
 in prostate cancer, 712

- Bladder, 768–769  
aging of, 16, 769  
bulge of (cystocele), 763–764, 770, 786, 787  
catheterization (*see* Catheter[ization], urinary)  
incontinence of (*see* Incontinence, urinary)  
infection of, 762–766  
neurogenic, 763, 772  
overactive, 770, 792  
testing of, in incontinence, 774  
training of, 775
- Bleeding  
anemia with, 650, 652–653, 654  
aspirin and, 290–291  
brain, 326–327, 337, 339  
dementia with, 309  
in cancer, 674  
with cardiac catheterization, 589  
in disseminated intravascular coagulation, 659, 660, 663  
in gastroesophageal reflux, 745  
in leukemia, 674  
in lung cancer, 697  
NSAIDs and, 290–291  
after prostate biopsy, 122  
in thrombocytopenia, 664  
in thrombocytopenia, 655, 656  
vaginal, 784–785
- Bleeding time, 656
- Blepharitis, 468  
seborrhic, 438
- Blepharospasm, 355, 468
- Blindness, 450–451 (*see also* Vision, impairment of)  
sleep disorders with, 375
- Blind spots  
in age-related macular degeneration, 459  
in diabetes, 461  
in glaucoma, 456
- Blisters, in shingles, 439–440
- Blood  
circulation of (*see* Circulation)  
components of, 648–649  
coughing up of, 728
- Blood (*continued*)  
disorders of, 648–670 (*see also specific disorders, eg*, Anemia)  
in gastroesophageal reflux, 745  
glucose levels in, 33, 418, 425–426  
hyperviscosity of, 704  
oxygen content of, surgery and, 140, 143  
in stool, 34, 652, 692, 694, 757  
testing of  
in anemia, 653–654  
in benign prostatic hyperplasia, 794  
in chronic lymphocytic leukemia, 690  
in COPD, 729  
in multiple myeloma, 704  
in pneumonia, 720  
in polycythemia, 667  
in stroke, 333  
in thrombocytopenia, 664  
in thrombocytopenia, 656–657  
in urinary tract infection, 765  
transfusion of (*see* Blood transfusion)  
in urine, 652
- Blood clots, 657–663  
in abnormal heart rhythms, 619  
in aneurysm, 568–569, 571  
in antiphospholipid syndrome, 659  
in atherosclerosis, 554, 560  
in atrial flutter and fibrillation, 628, 629, 630, 660  
bed rest and, 128, 269  
in coronary artery disease, 583  
in deep vein thrombosis, 577–580  
in disseminated intravascular coagulation, 658–659, 660, 663  
in heart, 329  
in heart failure, 606, 660  
in heart valve disorders, 639  
in hereditary clotting factor disorders, 659, 661–662  
location of, 661  
in peripheral arterial disease, 563  
pulmonary embolism and (*see* Pulmonary embolism)  
retinal, 464  
in stroke, 326, 328–329, 336

- Blood clots (*continued*)
- in superficial thrombophlebitis, 575–576
  - in thrombocytopenia, 663–665
  - umbrella filter for, 579, 580
  - in varicose veins, 574
- Blood flow (*see* Circulation)
- Blood pressure
- ambulatory monitoring of, 546
  - control mechanisms of, 543–544
  - in dehydration, 215
  - in diarrhea, 757
  - in heart failure, 609
  - high (*see* High blood pressure)
  - home monitoring of, 546
  - low (*see* Low blood pressure)
  - measurement of, 32, 543, 545–547
  - in peripheral arterial disease, 562
- Blood sugar
- high (*see* Diabetes mellitus)
  - levels of, 33
  - low (*see* Hypoglycemia)
  - monitoring of, 425–426
  - screening of, 33, 418
- Blood tests (*see* Blood, testing of)
- Blood thinners (*see* Anticoagulants)
- Blood transfusion
- in anemia, 654, 655
  - in multiple myeloma, 705
  - in myelofibrosis, 670
- Blood vessels, 551–553
- blood clots in, 661
  - disorders of, 553–580 (*see also specific disorders, eg, Atherosclerosis*)
  - inflammation of, in rheumatoid arthritis, 525
  - small, blockage in, 664
- BMI (*see* Body mass index)
- Board-and-care facility, 93, 167, 169–170
- Body mass index, 40, 41, 204, 212
- Bone(s)
- aging of, 12–13
  - broken (*see* Fracture)
  - density of, 12
    - evaluation of, 32–33, 104–106, 261–262
- Bone(s) (*continued*)
- fracture of (*see* Fracture)
  - healing of, 275–276
  - in multiple myeloma, 703, 704, 705
  - in osteomalacia, 255
  - in osteopenia, 254
  - in osteoporosis, 254–266
    - prostate cancer spread to, 707
    - remodeling of, 255
    - tests on, 32–33, 104–106, 261–262
- Bone marrow, 649
- aging of, 12–13
  - biopsy of, 653
    - in anemia, 654
    - in chronic lymphocytic leukemia, 690
    - in lung cancer, 699
    - in multiple myeloma, 704
    - in thrombocytopenia, 664
    - in thrombocytopenia, 657
  - cancer of (*see* Leukemia)
  - fibrosis of, 651, 666, 668–670
  - transplantation of (*see* Stem cells, transplantation of)
- Bone scan, 109–110
- for fracture, 270
  - in lung cancer, 699
  - in prostate cancer, 708
- Bone spur, in heel, 515
- Botulin toxin, in dystonia, 355–356
- Botulinum toxin, in achalasia, 741
- Bouchard's nodes, 521
- Bowel (*see* Large intestine)
- Bowel ischemia, 756
- in peripheral arterial disease, 562
- Bowel movements
- abnormal heart rhythms with, 619
  - bed rest and, 129
  - colostomy and, 694
  - disorders of, 749–760 (*see also* Constipation; Diarrhea)
  - at end of life, 189
  - fainting with, 239
  - incontinence of, 759–760
    - in colorectal cancer, 692
    - during hospitalization, 132–133
    - pressure sores and, 445

BPH (*see* Benign prostatic hyperplasia)

Brace, leg or ankle, 150

after stroke, 158

Brachytherapy, 711

Bradycardia, 618

sinus, 633–634

Bradycardia-tachycardia syndrome, 634

Braille, 163

Brain

aging of, 5, 6, 14

aneurysm in, 329

arteriovenous malformation of, 329

blood flow to, 240

cancer of, dementia with, 309

degeneration of

in Alzheimer's disease, 319–320

in Parkinson's disease, 360

in progressive supranuclear palsy,  
367

in Shy-Drager syndrome, 369

in dementia, 306–325 (*see also* De-  
mentia)

hemorrhage in, 326–327, 329, 337, 339

inflammation of (encephalitis), 722, 723

in movement disorders, 352

radiation injury to, 308

in stroke (*see* Stroke)

Brain stem, 352

Bran, 752, 754

Breasts

aging of, 17

biopsy of, 684

cancer of, 682–689

inflammatory, 685

information resources on, 883

receptors in, 101, 685, 688

screening for, 34, 673, 683–684

staging of, 685

survival with, 689

treatment of, 685–688

types of, 684–685

cyst of, 684

examination of, 683

lump in, 683, 684

mammography of, 110–112, 683–684

reconstruction of, 687

self-examination of, 683

Breath

shortness of

in aortic regurgitation, 645

in COPD, 727, 728, 730

in coronary artery disease, 585

in disseminated intravascular coag-  
ulation, 660

in heart attack, 587

in heart failure, 608

in heart valve disorders, 638

in lung cancer, 697

overhydration and, 216–217

in terminal illness, 186–187

sounds of, in heart failure, 609

Breathing

aging-related changes in, 15

bed rest effects on, 129, 130

in COPD, 728, 729, 733

near death, 184

exercises for, 720

interruption of, during sleep, 382–384  
after surgery, 143

Bretylium, 622–623

Bridge, dental, 505

Bright light therapy

in circadian rhythm disorders, 385

in seasonal affective disorder, 396

Bromocriptine, 364, 366

Bronchitis

chronic, 725–734

ginkgo biloba in, 65

with influenza, 722, 723

Bronchodilators

in COPD, 730–731

in lung cancer, 700

in shortness of breath, 187

Bronchoscopy

in lung cancer, 698–699

in pneumonia, 720

Bruising, in thrombocytopenia, 656

B-type natriuretic peptide, in heart fail-  
ure, 610

Bulking agents

in constipation, 753, 754

in diarrhea, 758

Bumetanide, 217

in heart failure, 612, 615

Bunion, 511–513  
Bupropion, 393, 394  
    for quitting smoking, 30  
Burning mouth syndrome, 506  
Burrow's solution, 441  
Bursae, 520  
Bursitis, 520  
    Achilles, 515  
Buspirone, 400  
Bypass surgery  
    in coronary artery disease, 598–599  
    in peripheral arterial disease, 564

---

## C

Cachexia, 188  
    in cancer, 674  
CAD (*see* Coronary artery disease)  
Caffeine  
    osteoporosis and, 257  
    urinary incontinence and, 771  
Calcification, of heart valves, 638, 643  
Calcitonin  
    for high calcium levels, 222  
    in osteoporosis, 265, 266  
Calcium  
    in atherosclerosis, 553  
    in bones, 12, 255  
    in coronary artery disease, 582–583  
    deficiency of, 208–209  
    dietary, 38–39  
    heart valve accumulation of, 638, 643  
    high levels of (hypercalcemia), 222  
        in constipation, 750  
        in multiple myeloma, 703, 705–706  
    in joints, 534–536  
    low levels of (hypocalcemia), 221  
    supplemental, for osteoporosis prevention, 262–263, 264  
Calcium channel blockers  
    in abnormal heart rhythms, 623  
    in aortic regurgitation, 645  
    constipation with, 750  
    in coronary artery disease, 594, 596  
    gum growth with, 500  
    after heart attack, 601  
    in heart valve disorders, 639

Calcium channel blockers (*continued*)  
    in high blood pressure, 549, 550  
    urinary incontinence with, 771  
Calcium citrate, 782  
Calcium polycarbophil, 753  
Calcium pyrophosphate dihydrate  
    crystal deposition disease, 534–537  
Calculi (*see* Stones)  
Calluses, 509–511  
Calorie requirements, 35, 37  
Cancer, 670–678, 682–715  
    adjuvant therapy in, 677  
    anemia with, 650  
    biopsy in, 675  
    blood clots with, 660  
    brain, dementia with, 309  
    breast, 682–689 (*see also* Breasts, cancer of)  
    cervical, 34  
    colorectal, 692–696 (*see also* Colorectal cancer)  
    constipation in, 750  
    cure of, 671, 676  
    depression with, 680  
    development of, 670, 672  
    diagnosis of, 675  
    esophagus, 739, 745  
    garlic and, 64  
    head, 701–703  
    high calcium level in, 222  
    hormone-like secretions of, 675  
    hospice care for, 95, 195–196  
    immune system slowdown and, 18  
    information resources on, 883–884  
    larynx, 492  
    living with, 678–680  
    lung, 696–701  
    metastatic, 682  
    mouth, 507, 701–703  
    neck, 701–703  
    parathyroid hormone excess in, 222  
    prostate, 706–712 (*see also* Prostate gland, cancer of)  
    questions about, 676  
    refusal of treatment in, 678  
    remission of, 671

- Cancer (*continued*)  
 screening for (*see* Screening tests, for cancer)  
 skin, 435, 712–714  
 spread of, 682  
 staging of, 675  
 survival rate for, 671  
 telomeres in, 5  
 terms for, 671  
 thyroid, 413, 414  
 treatment guidelines for, 676–678  
 ubiquinone in, 62  
 undernutrition and, 202  
 vulva, 714–715  
 warning signs of, 673–675
- Candesartan  
 in coronary artery disease, 592  
 in heart failure, 614  
 in high blood pressure, 548
- Candidiasis, oral (thrush), 507
- Cane, 150  
 after stroke, 158
- Canker sores, 507
- Capacity, 849–850
- Capillaries, 551
- Capsaicin, 294  
 in osteoarthritis, 523  
 in shingles, 345, 442
- Captopril  
 in coronary artery disease, 592  
 in heart failure, 614  
 in high blood pressure, 548  
 urinary incontinence with, 771
- Carbidopa, 365–366
- Carbohydrates, 37
- Carbonic anhydrase inhibitors, 457
- Carbon monoxide, atherosclerosis and, 556
- Carbon monoxide detector, 31
- Carcinoembryonic antigen (CEA), 696
- Carcinogens, 672
- Carcinoma, 682 (*see also* Cancer)
- Carcinoma-in-situ, 671
- Cardiac catheterization, 101, 114–115  
 in coronary artery disease, 588–589  
 in heart attack, 600
- Cardiac glycosides, 615
- Cardiac rehabilitation, 156–157, 601, 813
- Cardiac scan, 109
- Cardiologist, 86
- Cardiomyopathy, 606  
 dizziness with, 234
- Cardiopulmonary resuscitation (CPR)  
 in advance directive, 852  
 in hypothermia, 226  
 in ventricular fibrillation, 633
- Cardioversion, 626  
 in atrial flutter, 629  
 in ventricular tachycardia, 631
- Cardioverter-defibrillator, 626  
 in atrial flutter and fibrillation, 629  
 implanted  
 in abnormal heart rhythms, 624  
 in heart failure, 613  
 in ventricular tachycardia, 632
- Caregiver, 175–176  
 burnout of, 166, 180, 182  
 help for, 180–183
- Caregiving, 175–183  
 challenges of, 177–180  
 cost of, 176  
 long-distance, 179  
 mistreatment and, 843–847  
 nutrition and, 203  
 rewards of, 176
- Care manager, 96
- Caries, dental, 495–499
- Carisoprodol, 47  
 medicinal herb interactions with, 58
- Carnitine, supplemental, 60
- Carotid artery, 552  
 aneurysm of, 569  
 angiography of, 333  
 angioplasty of, 335  
 blockage of, 326, 328  
 removal of, 335, 464  
 massage of, 626
- Carotid sinus, pressure testing of, 243
- Carotid sinus syndrome, 241, 245
- Carpal tunnel syndrome, 346  
 in diabetes, 417
- Cars (*see* Automobiles; Driving)
- Carteolol  
 in abnormal heart rhythms, 622

- Carteolol (*continued*)
  - in coronary artery disease, 593–594
  - in heart failure, 614
- Cartilage
  - aging of, 13
  - osteoarthritis of, 519–524
- Carvedilol
  - in abnormal heart rhythms, 622
  - in coronary artery disease, 593–594
  - in heart failure, 614
  - in high blood pressure, 548
- Cascara, 753, 754–755
- Cast, for fracture, 271–273
- Castor oil, 753
- Cataracts, 451–455
  - dizziness and, 232
  - driving and, 828
- Catechol O-methyltransferase (COMT)
  - inhibitors, 364
- Catheter(ization)
  - cardiac, 101, 114–115
    - in coronary artery disease, 588–589
    - in heart attack, 600
  - urinary, 129
    - in benign prostatic hyperplasia, 794
    - in incontinence, 773–774, 777
    - infection and, 764
    - after surgery, 143
- Catheter ablation, in abnormal heart rhythms, 624, 632
- CAT scan (*see* Computed tomography)
- Cavities (tooth decay), 495–499
- CEA (carcinoembryonic antigen), 696
- Cells
  - aging of, 4–5
  - programmed death of, 5
  - telomeres of, 5
- Cellulitis
  - with pressure sores, 445
  - with venous ulcers, 449
- Central retinal artery, blockage of, 463
- Central sleep apnea, 382–384
- Cerebellum, 352
- Cerebrospinal fluid, in subarachnoid hemorrhage, 333–334
- Cerumen, 482–483
- Cervical spondylosis, dizziness in, 233
- Cervix, cancer of, screening for, 34
- Cevimeline, 504
- Chair, transfer from, 150
- Chalazion, 469
- Chamomile, 60–61
  - drug interactions with, 56, 61
- Charcot’s joint, 348
- Chemotherapy, 676–677
  - in breast cancer, 688
  - in chronic lymphocytic leukemia, 690–691
  - in colorectal cancer, 695
  - fatigue with, 679–680
  - hair loss with, 679
  - in head cancer, 702
  - in lung cancer, 700
  - in mouth cancer, 702
  - in multiple myeloma, 704–705
  - nausea and vomiting with, 188
  - in neck cancer, 702
  - in prostate cancer, 712
  - ubiquinone with, 62
  - undernutrition and, 203
  - in vulvar cancer, 715
  - weight loss with, 679
- Cherry angioma, 435
- Chest pain
  - in acid reflux, 745
  - in angina, 557, 582, 585–586, 599–600
  - in COPD, 728
  - in heart valve disorders, 638
  - in lung cancer, 697
  - in swallowing difficulty, 739
- Chest x-ray
  - in COPD, 729
  - in heart failure, 609
  - in lung cancer, 698
  - in pneumonia, 720
- Chickenpox, 442 (*see also* Shingles [herpes zoster])
- Children, caring for, 839–840
- Chiropractic, 73–74
  - for pain, 289
  - in rehabilitation, 148
- Chlamydia infection, 836–837
- Chlordiazepoxide, 44, 45
- Chlorothiazide, 549

- Chlorpheniramine, 45
  - urinary incontinence with, 771
- Chlorpromazine, 45, 404
  - medicinal herb interactions with, 57
- Chlorpropamide, 46, 422
  - medicinal herb interactions with, 56
- Chlorthalidone, 217
  - in heart failure, 615
  - in high blood pressure, 549
- Chlorzoxazone, 47
- Cholesterol
  - in atherosclerosis, 553, 555–556
  - in coronary artery disease, 584
  - desirable level of, 555
  - diet and, 555–556
  - disease-related abnormalities in, 556
  - garlic and, 64
  - measurement of, 204
  - screening and, 32
  - stroke and, 329
- Cholesterol-lowering drugs, 558, 559
  - in coronary artery disease, 590–591
- Cholestyramine, 559
  - undernutrition and, 203
- Cholinesterase inhibitors, 316
- Chondroitin, 61
  - in osteoarthritis, 523
- Chronic disease, 22–23
  - anemia of, 650, 655
  - palliative and end-of-life care for, 183–197
- Chronic lymphocytic leukemia (CLL), 689–691
- Chronic obstructive pulmonary disease (COPD), 725–734
  - cancer treatment and, 677
  - dizziness with, 234
  - exercise in, 815
  - surgical risk and, 137
  - undernutrition and, 202
- Chronic venous insufficiency, 448–449, 577, 580, 660
- Chronologic age, 3
- Ciclopirox solution, 518
- Cigarette smoking
  - abnormal heart rhythms with, 619
  - acid reflux and, 744
  - Cigarette smoking (*continued*)
    - atherosclerosis and, 556
    - COPD and, 726–727
    - coronary artery disease and, 584
    - lung cancer and, 696–697
    - mouth cancer and, 701
    - quitting (cessation of), 30
      - in atherosclerosis, 558
      - in COPD, 729, 733
      - in coronary artery disease, 589
      - in gastroesophageal reflux, 746
      - in heart failure, 610
      - in stroke prevention, 334
      - weight gain with, 212
    - undernutrition and, 203
- Cilostazol, 564
- Cimetidine, 46
  - delirium with, 301
  - in gastroesophageal reflux, 747
  - medicinal herb interactions with, 57, 58
- Circadian rhythm disorders, 384–385
- Circulation
  - blood, 551–553
    - to brain, 240
    - collateral, 565
    - to eye, 462–465
    - garlic and, 64
    - ginkgo biloba and, 65, 66
    - in skin, 12
  - coronary, 583, 604, 610
- Cisplatin, undernutrition and, 203
- Citalopram, 393, 394
- CK-MB, in heart attack, 589
- Claudication
  - in diabetes, 416
  - in peripheral arterial disease, 557, 561, 564, 816
- Claustrophobia
  - during CT scan, 107
  - during MRI, 108
- Clavicle, fracture of, 282
- Clidinium, 45
- Clinical trial, for cancer treatment, 677–678
- Clitoris, 779
- CLL (chronic lymphocytic leukemia), 689–691

- Clopidogrel, 662, 663
  - in coronary artery disease, 592–593
  - in peripheral arterial disease, 563–564
- Clostridium difficile* infection, 756–757
- Clothing
  - for cold weather, 225
  - for hot weather, 229
- Clotting, 658
  - disorders of, 657–663 (*see also* Blood clots)
- Clotting factors, 658
  - disorders of, 659, 661–662
- Clozapine, 404–405
- Cobalamin (*see* Vitamin B<sub>12</sub> [cobalamin])
- Cochlea, 470, 471
- Cochlear implant, 479
- Codeine, 292
  - in diarrhea, 758
- Coenzyme Q, 61–62
  - drug interactions with, 62
- Coffee
  - acid reflux and, 744
  - urinary incontinence and, 771
- Cognitive impairment
  - age-related, 308
  - in dementia (*see* Dementia)
  - mild, 308
  - stroke and, 158, 330
  - temporary (*see* Delirium)
- Cognitive therapy, in pain management, 290
- Cola, urinary incontinence with, 771
- Colchicine
  - in gout, 532, 533
  - in pseudogout, 536
- Cold, common
  - echinacea effects on, 63
  - laryngitis with, 493
  - rhinitis with, 487
  - sinusitis with, 489
- Cold sores, 506–507
- Cold therapy (cryotherapy), 148, 289
  - for fracture, 271
  - in osteoarthritis, 522
  - in rheumatoid arthritis, 529
- Cold weather, protection against, 225
- Colectomy, 695
- Colesevelam, 559
- Colestipol, 559
- Collagen injection, in stress incontinence, 776
- Collarbone, fracture of, 282
- Collateral circulation, 565
- Colles' fracture, 283–284
- Colon (*see* Large intestine)
- Colonoscopy, 34, 99–100, 101, 115–117, 694, 696
  - in anemia, 654
  - in constipation, 751
  - virtual, 694–695
- Color
  - perception of, 9
  - of sclera, 9–10
- Colorectal cancer, 692–696
  - recurrence of, 696
  - screening for, 34, 115–117, 673, 692, 694–695
  - staging of, 693
- Colostomy, 694, 695
  - in fecal incontinence, 760
- Coma
  - myxedema, 408
  - nonketotic hyperosmolar (hyperglycemic), 416
  - with stroke, 331–332
- Common cold (*see* Cold, common)
- Communication
  - with health care practitioners, 78–84, 96–97, 104
  - translator for, 135
- Community involvement, 824–826
  - information resources on, 889
- Community services, 94, 182–183
- Companionship, 834–836
- Compartment syndrome, 269, 273
- Competency, 850
- Complementary medicine, 52–76
- Computed tomography, 106–107
  - in aortic aneurysm, 571
  - in aortic dissection, 568
  - in coronary artery disease, 588
  - in fracture, 270
  - in lung cancer, 698, 699

- Computed tomography (*continued*)  
 in osteoporosis, 261–262  
 in prostate cancer, 708  
 in stroke, 333  
 for virtual colonoscopy, 694–695
- COMT (catechol O-methyltransferase)  
 inhibitors, 364
- Condom, 30
- Confidentiality, 849
- Conformal radiotherapy, 711
- Confusion, 296–299 (*see also* Delirium;  
 Dementia)  
 capacity and, 849–850  
 at end of life, 192  
 with hospitalization, 131–132  
 opioid-related, 293–294  
 after surgery, 142–144
- Congestive heart failure (*see* Heart fail-  
 ure)
- Conjunctivitis, in seborrheic dermatitis,  
 438
- Consciousness, loss of (*see* Dizziness;  
 Fainting)
- Consent, informed, 848–849
- Constipation, 749–755  
 bed rest and, 129  
 in colorectal cancer, 692  
 at end of life, 189  
 opioid-related, 293, 679  
 urinary incontinence and, 772
- Constriction devices, in erectile dys-  
 function, 802–803
- Consultant pharmacist, 90
- Continuing care retirement community  
 (life-care community), 93, 167,  
 170
- Continuing education, 825, 884
- Continuous positive airway pressure  
 (CPAP), 383
- Contracture  
 bed rest and, 128  
 after fracture treatment, 269  
 after stroke, 332
- Cooling therapy, in heat stroke, 230
- Cooperatives, for adult day care,  
 183
- Coordination exercise, 149
- COPD (chronic obstructive pulmonary  
 disease), 725–734  
 cancer treatment and, 677  
 dizziness with, 234  
 exercise in, 815  
 surgical risk and, 137  
 undernutrition and, 202
- Coping with change, 819–826
- Corns, 509–511
- Coronary arteries  
 aneurysm of, 569  
 angioplasty of, 596–598  
 atherosclerosis of (*see* Coronary  
 artery disease)  
 spasm of, 585
- Coronary artery bypass graft surgery,  
 598–599, 642
- Coronary artery disease, 554, 582–602  
 angiography in, 101, 114–115  
 exercise in, 813  
 information resources on, 884  
 long-term outlook for, 602  
 prevention of, 589–591  
 rehabilitation for, 156–157, 813  
 risk factors for, 584–585, 601  
 sexual activity and, 803  
 surgical risk and, 137  
 treatment of, 591–602
- Coronary care unit, 126
- Corticosteroids  
 in COPD, 732  
 in gout, 532, 533  
 in idiopathic thrombocytopenic pur-  
 pura, 657  
 medicinal herb interactions with, 56, 59  
 in multiple myeloma, 704  
 in myelofibrosis, 669–670  
 in osteoarthritis, 523  
 osteoporosis with, 259  
 in polymyalgia rheumatic, 541–542  
 in rheumatoid arthritis, 526, 528  
 in shingles, 441  
 in temporal arteritis, 541–542  
 weight gain with, 211
- Cortisol excess, osteoporosis in, 259
- Cough  
 aging-related changes in, 15

- Cough (*continued*)  
 bed rest effects on, 129, 130  
 in chronic bronchitis, 726  
 in COPD, 727, 728  
 as defense mechanism, 718  
 at end of life, 186–187  
 in heart failure, 608–609  
 in influenza, 723  
 in lung cancer, 697  
 in pneumonia, 719  
 urinary incontinence with, 770
- Counseling  
 in anxiety, 400  
 after death of loved one, 822  
 in depression, 395
- COX-2 inhibitors (coxibs), 291  
 in gout, 532, 533  
 in osteoarthritis, 523  
 in pseudogout, 536  
 in rheumatoid arthritis, 526
- CPAP (continuous positive airway pressure), 383
- CPR (cardiopulmonary resuscitation)  
 in advance directive, 852  
 in hypothermia, 226  
 in ventricular fibrillation, 633
- Cramp(s)  
 in atherosclerosis, 557  
 heat, 227, 228–229  
 leg, 379–382  
 writer's, 355
- Crashes (automobile), 826–827
- C-reactive protein, 540  
 in coronary artery disease, 584–585
- Creams  
 for dry skin, 433  
 in seborrheic dermatitis, 438  
 in shingles, 442
- Creatine, 62–63
- Crepitus, 521
- Creutzfeldt-Jakob disease, 309
- Crowns, dental, 499
- Crutches, 150
- Cryotherapy, 148  
 for fracture, 271  
 in osteoarthritis, 522  
 for pain, 289
- Cryotherapy (*continued*)  
 in rheumatoid arthritis, 529
- Crystal deposition  
 in gout, 530–534, 535  
 in pseudogout, 534–537
- CSF (*see* Cerebrospinal fluid)
- CT (*see* Computed tomography)
- Culture  
 sputum, 720  
 urine, 765
- Cushing's disease  
 osteoporosis in, 259  
 weight gain with, 212
- Cyanosis  
 in COPD, 728  
 in heart failure, 609
- Cyclobenzaprine, 47  
 medicinal herb interactions with, 58
- Cyclophosphamide, 526
- Cyclosporine  
 medicinal herb interactions with, 56, 59  
 in rheumatoid arthritis, 526
- Cyproheptadine, 45
- Cyst(s)  
 in breast, 684  
 in rheumatoid arthritis, 525
- Cystitis, 762–766
- Cystocele, 763–764, 786, 787  
 urinary incontinence and, 770
- Cystoscopy  
 infection with, 764  
 in urinary incontinence, 774  
 in urinary tract infection, 766
- Cytokines, in cancer, 674

---

## D

- Dairy intolerance, 15–16
- Dalteparin, 592
- Dancing, 30
- D and C (dilatation and curettage), 785
- Dandruff, 437–438
- Darbepoietin  
 in anemia of chronic disease, 655  
 in chronic lymphocytic leukemia, 691  
 in multiple myeloma, 705
- Dating, 834–836

- Dawn phenomenon, 425
- Day care centers, 182–183
- Day hospital, 94
- Daytime sleepiness, 371–372, 379
- D-carnitine, 60
- D-dimer, in deep vein thrombosis, 578
- Deafness (*see* Hearing, loss of)
- Death (*see also* End-of-life care)
- causes of, 23–25, 183–184
  - impending signs of, 184
  - of loved one, 196, 821–822
- Death rattle, 184
- Decibels, 476
- Decision-making
- about driving, 830
  - about health care, 847–849
  - advance directives and, 851–853
  - capacity and, 849–850
  - competence and, 850
  - surrogate, 854
- Decongestants
- urinary incontinence with, 771
  - in viral rhinitis, 487
- Decubitus ulcers (*see* Pressure sores)
- Deep brain stimulation
- in dystonia, 356
  - in Parkinson's disease, 367
- Deep vein thrombosis, 577–580
- in disseminated intravascular coagulation, 659
  - after stroke, 332
- Defibrillation, 626
- in ventricular fibrillation, 633
- Dehydration, 200, 214–216
- in constipation, 750
  - in diarrhea, 757, 758–759
  - dry mouth with, 503
  - high calcium level and, 222
  - high sodium level and, 220
  - during hospitalization, 130
  - hyperthermia and, 228
  - orthostatic hypotension with, 233
- Dehydroepiandrosterone (DHEA), supplemental, 62–63
- Delayed sleep phase syndrome, 385
- Delirium, 296–297, 300–306
- drug-related, 300–301
- Delirium (*continued*)
- at end of life, 192
  - with hospitalization, 131–132
  - screening for, 33
  - after surgery, 142–144
- Delirium tremens (DTs), 300
- Dementia, 297–298, 306–325 (*see also* Alzheimer's disease)
- acetyl-L carnitine in, 60
  - anxiety with, 392
  - delirium with, 303
  - dental care in, 499
  - depression with, 392
  - driving and, 827
  - end-of-life care in, 318
  - exercise in, 813–814
  - ginkgo biloba in, 66
  - home care and, 166, 178
  - information resources on, 882
  - intimacy and, 837–838
  - Lewy body, 324–325
  - paranoia with, 402
  - rehabilitation and, 147
  - screening for, 33
  - sleep disorders with, 311, 317–318, 372–373, 375
  - treatment of, 313–318
  - vascular, 322–324
- Demographics, of aging, 18–20, 25
- Densitometry, bone, 32–33, 104–106
- Dental plaque, 497, 500
- Dental problems (*see* Tooth [teeth])
- Dental restorations, 499
- Dentures, 505–506
- dry mouth and, 503
- Depression, 386–396
- bed rest and, 129
  - cancer-related, 680
  - constipation in, 750
  - after death of loved one, 822
  - in dementia, 311, 392
  - DHEA supplements in, 63
  - dizziness in, 235
  - drugs for (*see* Antidepressants)
  - at end of life, 191
  - forgetfulness and, 308, 389
  - after heart attack, 587, 601–602

- Depression (*continued*)  
 information resources on, 885  
 major, 387  
 manic, 387, 391, 393, 395  
 melatonin and, 71  
 in Parkinson's disease, 362  
 psychotic, 387  
 rehabilitation and, 147  
 screening for, 34  
 sleep disturbance with, 375  
 St. John's wort in, 72  
 after stroke, 337–338  
 treatment of, 392–396  
 undernutrition and, 202, 206  
 urinary incontinence and, 772
- Depth perception, 9
- Dermatitis, seborrheic, 437–438  
 of vulva, 783
- Dermatologist, 86
- Dermatome, 439, 440
- Dermis, 431, 432
- Desipramine  
 in depression, 394  
 urinary incontinence with, 771
- Detrusor muscle, 769
- Devices (*see* Assistive devices)
- Dexamethasone, 704
- DEXA (dual-energy x-ray absorptiometry) scan, 32–33, 104–106, 261, 262
- Dextroamphetamine, 394
- DHEA (dehydroepiandrosterone), supplemental, 62–63
- Diabetes mellitus, 414–428  
 blood sugar monitoring in, 425–426  
 complications of, 414, 416, 417, 418, 419, 427–428  
 constipation in, 750  
 coronary artery disease and, 584, 591  
 dizziness in, 232, 233, 234, 235  
 driving and, 827  
 erectile dysfunction and, 800  
 exercise in, 814  
 eye problems (retinopathy) in, 460–462  
 information resources on, 885  
 low blood sugar (hypoglycemia) in, 427–428, 814, 827
- Diabetes mellitus (*continued*)  
 nerve problems (neuropathy) in, 348  
 orthostatic hypotension in, 233  
 prevention of, 418  
 screening for, 33, 418  
 treatment of, 418–426  
 undernutrition and, 202  
 urinary incontinence and, 772
- Diagnostic tests (*see* Test[s])
- Diaphragm, 743–744  
 aging of, 15  
 hernia of, 736, 742, 744  
 spasms of (hiccups), 353
- Diarrhea, 755–759  
 berberine and, 67–68  
 in colorectal cancer, 692  
 with dairy products, 15–16  
 in terminal illness, 189  
 undernutrition and, 201
- Diastolic blood pressure, 32, 543
- Diathermy, 147  
 for pain, 289
- Diazepam, 44, 45  
 medicinal herb interactions with, 58, 59  
 urinary incontinence with, 771
- Diclofenac, 526
- Dicyclomine, 45  
 in urinary tract infection, 766
- Diet (*see also* Food; Nutrition)  
 acid reflux and, 744  
 in atherosclerosis, 557–558, 560  
 cholesterol level and, 555–556  
 in colorectal cancer prevention, 692  
 in constipation, 752, 754  
 in coronary artery disease, 589, 590  
 in diabetes, 419, 420  
 in fecal incontinence, 760  
 in gout, 530–531, 532  
 healthy, 29–30, 205  
 in heart failure, 608, 610–611, 612  
 hospital, 130–131  
 information resources on, 888  
 low-calorie, 2  
 low-fat, 2, 39–40  
 low-protein, 39–40  
 low-salt, 39–40

- Diet (*continued*)
- Mediterranean, 2
  - in Parkinson's disease, 363
  - in pressure sore prevention, 447
  - in rheumatoid arthritis, 528
  - in stroke prevention, 334–335
  - tooth loss and, 505
  - in vulvar pain prevention, 782
- Dietary supplements, 55–72
- drug interactions with, 49, 54–55, 56–59
  - for nutritional disorders, 206
  - safety of, 54–55
- Dietitian, 90
- Digestive system
- aging of, 15–16, 201
  - at end of life, 188–189
  - endoscopy of, 99–100, 115–118
  - infection of, 756, 757, 758
  - information resources on, 885
- Digital rectal examination (*see* Rectum, digital examination of)
- Digoxin, 46
- in abnormal heart rhythms, 623, 629–630
  - delirium with, 301
  - in heart failure, 612, 615
  - in heart valve disorders, 640
  - medicinal herb interactions with, 58, 59
  - undernutrition and, 203
- Dilatation and curettage (D and C), 785
- Diltiazem
- in abnormal heart rhythms, 623, 629–630
  - in coronary artery disease, 594
  - in high blood pressure, 549
  - urinary incontinence with, 771
- Diphenhydramine, 45
- in dystonia, 356
  - in insomnia, 378
  - side effects of, 49
  - urinary incontinence with, 771
- Diphenoxylate, 758
- Diphtheria vaccine, 32
- Diplopia (double vision), 539
- Dip stick (urine) tests, 765
- Dipyridamole, 662, 663
- Disability
- demographics of, 22–23
  - exercise and, 814
  - information resources on, 882, 885–886
- Discharge, from hospital, 135
- Disease-modifying anti-rheumatic drugs, 526–527, 528
- Disks, degenerative disease of, 233
- Disopyramide, 46, 624
- Disorientation
- in delirium, 302
  - in dementia, 310, 311
  - in stroke, 330
- Disseminated intravascular coagulation, 658–659, 660, 663
- Distance perception, 9
- Diuretics
- dehydration with, 215
  - dizziness with, 232, 234
  - fainting with, 241, 244
  - in heart failure, 612, 615
  - in heart valve disorders, 641
  - in high blood pressure, 549
  - high sodium levels with, 220
  - low potassium levels with, 220
  - medicinal herb interactions with, 58
  - in overhydration, 217–218
  - undernutrition and, 202
  - in urge incontinence, 775
  - urinary incontinence with, 771
  - water consumption with, 39
- Diverticula, esophageal, 738, 739, 742, 743
- Dizziness, 230–239
- in abnormal heart rhythms, 619
  - on standing, 128
  - in stroke, 330
  - tilt table therapy for, 151
- DNR, 852
- Dobutamine, 613, 616
- Doctor, 28, 88 (*see also* Primary care doctor)
- communicating with, 78–84
  - in nursing home, 171
  - office of, 92
  - types of, 86–87, 89

- Docusate, 753, 755  
 Dofetilide, 622, 630  
 Donepezil, 316  
 Do-not-resuscitate order, 852  
 Dopamine  
   in heart failure, 613, 616  
   in Parkinson's disease, 360  
 Dopamine agonists  
   delirium with, 301  
   in Parkinson's disease, 364, 366  
 Doppler ultrasound, 112–113  
   in deep vein thrombosis, 578  
   in peripheral arterial disease, 562  
   in stroke, 333  
 Double vision, 453, 539  
 Double voiding, 777  
 Dowager's hump, 259, 281  
 Doxazosin  
   in benign prostatic hyperplasia, 794  
   in high blood pressure, 548  
   in prostatitis, 796  
   urinary incontinence with, 771  
 Doxepin, 46  
   in depression, 394  
 Driver's license, 830  
 Driving, 826–830  
   cessation of, 830  
   dementia and, 310, 314  
   information resources on, 886  
   safe, 31  
 Dronabinol, 679  
 Drowsiness, opioids and, 293  
 Drugs, 43–52  
   abnormal heart rhythms with, 618  
   acid reflux with, 744  
   alcohol interactions with, 388  
   anesthetic, 141  
   anticholinergic effects of, 48–49, 52, 141  
   anxiety symptoms with, 398  
   aplastic anemia with, 651  
   for appetite stimulation, 206  
   benefits of, 43  
   benign prostatic hyperplasia with, 793  
   body processing of, 44, 48  
   brand names for, 869–880  
   constipation with, 750  
   Drugs (*continued*)  
     decreased sex drive with, 804  
     delirium with, 300–301, 302  
     dementia and, 307  
     diarrhea with, 757, 758  
     dietary supplement interactions with, 49, 54–55, 56–59  
     dizziness with, 232, 234, 235  
     driving and, 828  
     dry mouth with, 502  
     erectile dysfunction with, 800  
     esophageal damage with, 738  
     fainting with, 241, 245  
     falls and, 248–249  
     generic names for, 869–880  
     gum growth with, 500  
     hearing loss with, 473  
     high blood pressure with, 544  
     high potassium levels with, 220–221  
     high sodium levels with, 220  
     hyperthyroidism with, 410  
     hypothyroidism with, 408, 409  
     information on, 31, 49–51, 79–80  
     interactions of, 49  
     label for, 50  
     low potassium levels with, 220  
     Medicare payment for, 856  
     names for, 869–880  
     nonprescription (over-the-counter), 51–52  
     orthostatic hypotension with, 233  
     osteoporosis with, 259  
     overhydration with, 216  
     pharmacist for, 50, 90, 97  
     psychosis with, 401  
     reminder systems for, 51  
     rhinitis with, 488–489  
     risks of, 44–49  
     safe use of, 49–51  
     schedule for, 49, 50, 51  
     sensitivity to, 48–49  
     side effects of, 44  
       during hospitalization, 133–134  
     swallowing difficulty with, 737  
     thyroid hormone interactions with, 409–410  
     tolerance to, 293

Drugs (*continued*)  
trade names for, 869–880  
undernutrition and, 201, 202–203  
urinary incontinence with, 771, 774  
vitamin D processing and, 221  
weight gain with, 211  
for weight reduction, 213  
Dry eye, 9, 466  
Dry gangrene, 561  
Dry mouth, 11, 501–504  
after radiation therapy, 702  
tooth decay and, 497  
Dry skin, 432–433  
DTs (delirium tremens), 300  
Dual-energy x-ray absorptiometry  
(DEXA) scan, 32–33, 104–106, 261,  
262  
Dupuytren’s contracture, 417  
Durable power of attorney for health  
care, 138, 192–193, 851, 852–853  
Dutasteride, 794  
Dye  
for cardiac angiography, 114  
for CT scan, 106  
for MRI, 107  
Dying (*see* End-of-life care)  
Dysarthria  
rehabilitation for, 162  
in stroke, 330  
Dysequilibrium, 231  
Dyskinesia, tardive, 356–357, 403  
Dysphagia, 736–743  
Dysphonia, spasmodic, 355  
Dyspnea (*see* Breath, shortness of)  
Dysthymic disorder, 387  
Dystonia, 354–356  
Dysuria, 764

---

## E

---

Ear canal, bony projections in, 473  
Eardrum, 470, 471  
Ears, 470–471 (*see also* Hearing, loss of)  
aging of, 10–11  
dizziness and, 232, 236  
irrigation of, 483  
ringing in (tinnitus), 480–482  
wax in (*see* Earwax)

Ears (*continued*)  
Earwax, 10, 473, 482–483  
dizziness and, 232  
Eating (*see also* Diet; Food; Nutrition)  
hospitalization and, 130–131  
low blood pressure after, 233, 235  
in nursing home, 172, 200  
occupational therapy for, 155  
tooth loss and, 505  
Eating disorders, information resources  
on, 886  
ECG (*see* Electrocardiography)  
Echinacea, 63  
drug interactions with, 56  
Echocardiography, 112  
in aortic aneurysm, 571  
in aortic dissection, 568  
in atrial flutter and fibrillation, 629  
in cardiomyopathy, 606  
in coronary artery disease, 588  
in fainting evaluation, 242  
in heart failure, 609–610  
in heart valve disorders, 639  
in stroke evaluation, 334  
Ectropion, 467  
Eczema craquelé, 433  
Edema (*see* Swelling [edema])  
Education  
continuing, 825, 884  
driver, 829  
EEG (*see* Electroencephalography)  
Effusion  
around heart (pericardial), 567, 607  
in lung cancer, 698  
around lung (pleural), in lung cancer,  
697  
EGD (*see* Esophagogastroduo-  
denoscopy)  
Ejaculation, retrograde, 804–805  
Ejection fraction, 610  
Elastic stockings  
in chronic venous insufficiency, 580  
in varicose veins, 575  
Eldercare Locator, 847  
Elder mistreatment, 843–847  
Electrical stimulation, of muscles,  
152–153

- Electrocardiography (ECG), 100
  - in abnormal heart rhythms, 620, 621
  - in atrial flutter and fibrillation, 629
  - in coronary artery disease, 587–588
  - in dizziness evaluation, 237
  - in fainting evaluation, 242
  - in fall evaluation, 250
  - in hyperkalemia, 221
  - in stroke, 334
  - in ventricular tachycardia, 631
- Electrocautery, in rosacea, 437
- Electroconvulsive (shock) therapy, 395–396
- Electroencephalography (EEG), 100
  - in fainting evaluation, 243
- Electrolytes, 213–214
  - abnormal levels of, 218–222
  - after surgery, 143
- Electromyography (EMG), 120–121, 348, 540
- Electrophoresis, in multiple myeloma, 704
- Electrophysiologic testing, in abnormal heart rhythms, 620–621, 632
- Embolism
  - in abnormal heart rhythms, 619
  - in aneurysm, 569
  - in atherosclerosis, 554, 560
  - in deep vein thrombosis, 577
  - in peripheral arterial disease, 561
  - pulmonary
    - bed rest–related, 128, 269
    - in deep vein thrombosis, 577, 578
    - prevention of, 579, 580
    - after stroke, 332
  - retinal, 464
- Emergency department, 124–125
  - for abnormal heart rhythms, 626
  - for heart attack, 599–600
  - for heart failure, 613
- Emphysema, 725–734
  - heart failure and, 608
- Empty-calorie foods, 37
- Enalapril
  - in coronary artery disease, 592
  - in heart failure, 614
  - in high blood pressure, 548
- Encephalitis, in influenza, 722, 723
- Endarterectomy, 335, 464
- Endocrine system (*see also specific glands and hormones*)
  - aging of, 17
- Endocrinologist, 86
- End-of-life care, 183–197
  - advance directives and, 192–193
  - assisted suicide and, 193–194
  - bedside atmosphere during, 193
  - in cancer, 680
  - in COPD, 733–734
  - in dementia, 318
  - depression and, 191
  - in heart failure, 616–617
  - hospice care for, 95, 194–196
  - information resources on, 884–885
  - loss of appetite and, 188–189
  - pain during, 185–186
  - in Parkinson’s disease, 367
  - peace and resolution at, 196–197
  - in progressive supranuclear palsy, 369
- Endometrium, biopsy of, 784–785
- Endorphins, 396
- Endoscopy, 99–100
  - of digestive system, 99–100, 115–118
  - in gastroesophageal reflux, 745–746
  - of joint, 100
  - in swallowing difficulty, 740, 743
- Endovascular repair, 572
- Enema, tap water, 752
- Energy, in food, 35
- Enoxaparin, 592
- Entacapone, 364, 366
- Enterocoele, 786, 787
- Entropion, 467
- Enzymes, supplemental, 60
- Epidermis, 431, 432
- Eplerenone, 612, 615
- Epley maneuver, 237, 238
- Eprosartan
  - in coronary artery disease, 592
  - in heart failure, 614
  - in high blood pressure, 548
- Eptifibatide, 593
- Erectile dysfunction, 799–803
  - information resources on, 886

- Erythrocytes (*see* Red blood cells)
- Erythrocyte sedimentation rate, (ESR), 527–528, 540
- Erythropoietin, 649
  - in anemia of chronic disease, 655
  - in bone marrow disorders, 651
  - in chronic lymphocytic leukemia, 691
  - in multiple myeloma, 705
  - in myelofibrosis, 670
  - in polycythemia, 667
- Escherichia coli* infection, 719
- Escitalopram, 393, 394
- Esomeprazole, 747
- Esophageal echocardiography, 629
- Esophagitis, 743
- Esophagogastroduodenoscopy, 99, 117–118
  - in anemia, 654
- Esophagus
  - balloon dilation of, 741
  - Barrett's, 745
  - bleeding from, 745
  - cancer of, 739, 745
  - diverticulum of, 738, 739, 742, 743
  - drug-related damage to, 738
  - fistula of, 698
  - inflammation of (esophagitis), 743
  - pH of, 746
  - Schatzki's ring of, 738
  - spasms of, 737, 740, 741
  - sphincters of, 735, 736, 737
    - botulinum toxin injection of, 741
    - cutting of, 741
    - in gastroesophageal reflux, 743, 744, 746
  - stricture of, 737–738, 743
  - ulcers of, 743
  - varicose veins of, 669
  - webs of, 738, 741, 743
- ESR (erythrocyte sedimentation rate), 527–528, 540
- Essential tremor, 357–360
- Estrogen
  - postmenopausal levels of, 17, 257–258, 780
  - receptors for, in breast cancer, 685, 688
- Estrogen (*continued*)
  - saw palmetto interaction with, 59
  - synthetic
    - in atrophic vaginitis, 781–782, 789
    - in osteoporosis, 263–265
    - side effects of, 264, 265
    - in stress incontinence, 775
    - in vaginal bleeding, 785
- Etanercept, 527
- Ethacrynic acid, 217
  - dizziness with, 232
  - in heart failure, 615
- Ethical issues, 847–854
- Ethicist, 91
- Etidronate, 263
- Eustachian tube, 470, 471
- Euthanasia, 193–194
- Event recorder, for abnormal heart rhythms, 620, 629
- Excessive daytime sleepiness, 371–372, 379
- Exercise, 30, 805–817
  - abnormal heart rhythms with, 619
  - aerobic, 148–149, 809
    - in arthritis, 812
    - in coronary artery disease, 590, 813
    - after stroke, 817
  - in arthritis, 811–813
  - in atherosclerosis, 558
  - balance, 150, 810
  - for bed rest patient, 129
  - benefits of, 806–807
  - breathing, 720
  - breathing during, 15
  - cardiac function during, 6
  - for cold protection, 225
  - cooling down from, 809
  - coordination, 149
  - in COPD, 733
  - in coronary artery disease, 590, 813
  - in dementia, 813–814
  - in depression, 396
  - in diabetes, 419, 420–421, 814
  - in disabilities, 814
  - in dystonia, 356
  - for fainting prevention, 244
  - in fecal incontinence, 760

## Exercise (*continued*)

- after fracture treatment, 274–275
  - hand, 812
  - health benefits of, 2, 805–807
  - in heart failure, 610, 814–815
  - in hot weather, 229
  - intensity of, 808
  - isometric, 149, 809
    - in arthritis, 812
  - isotonic, 149, 809
  - Kegel, 776, 809
    - in incontinence, 775
  - for leg cramps, 381
  - in lung disorders, 815
  - in obesity, 212–213
  - in osteoarthritis, 522
  - for osteoporosis prevention, 262
  - pain during, 809
  - in Parkinson's disease, 363, 816
  - in peripheral arterial disease, 563, 816–817
  - physician evaluation for, 807–808, 811
  - range-of-motion, 149
    - after fracture treatment, 274–275
    - after stroke, 157
  - in rheumatoid arthritis, 529
  - strengthening, 13, 149, 809–810
  - stretching, 810
    - after stroke, 817
  - in stroke prevention, 334
  - supervision for, 811
  - in swallowing difficulty, 741
  - vocal, 492
    - warming up for, 808–809
    - in water, 522, 810, 812, 817
- Exercise stress testing, 620
- in coronary artery disease, 813
  - for sexual activity safety, 803
  - in ventricular tachycardia, 632
- Exophthalmos, 411
- External fixation, for fracture, 272–273, 283
- Extracorporeal shock wave lithotripsy, 532
- Eye(s) (*see also* Vision)
- age-related macular degeneration of, 458–460, 828

## Eye(s) (*continued*)

- aging of, 7, 9–10
  - anatomy of, 451
  - blood flow to, 462–465
  - bulging of (exophthalmos), 411
  - in diabetes, 416, 417, 427, 460–462
  - disorders of, 450–470
    - driving and, 828
  - dry, 9, 466
  - emboli of, 464
  - floaters in, 9
  - function of, 451
  - glaucoma of, 232, 455–458, 828
  - gray-white ring of, 10
  - ischemia of, 464–465
  - jerking movements of (nystagmus), 236
  - in occipital lobe stroke, 465
  - pressure elevation in (glaucoma), dizziness and, 232
  - in progressive supranuclear palsy, 368
  - retina detachment of, 465–467
  - retinal artery blockage of, 463
  - retinal vein blockage of, 463
  - in seborrheic dermatitis, 438
  - in shingles, 440–441
  - sunken appearance of, 10
  - surgery on, 452
  - tear production in, 466
  - whites of, 9–10
- Eye drops, 457
- Eyeglasses
- after cataract surgery, 455
  - dizziness and, 232
  - during hospitalization, 132
  - reading, 7
- Eyelashes, in seborrheic dermatitis, 438
- Eyelid
- chalazion of, 469
  - disorders of, 467–470
  - drooping of, 467–468
  - inflammation of, 468
  - inward turning of, 467
  - laxity of, 10, 467
  - spasms of, 355, 468

Eyelid (*continued*)  
  stye of, 469  
  xanthelasma of, 469  
Ezetimibe, 559

---

## F

---

### Face

  pain in, 341–343  
  rosacea of, 434, 436–437  
  seborrheic dermatitis of, 437–438  
  shingles of, 440–441

Factor V Leiden mutation, 659

Failure to thrive, 204

Fainting, 239–245

  in abnormal heart rhythms, 619  
  in diarrhea, 757

Falls, 247–253

  during hospitalization, 133  
  in Parkinson's disease, 362  
  prevention of, 133, 251–253, 270  
  undernutrition and, 204

False-negative test result, 102

False-positive test result, 102

Family (*see also* Caregivers)

  intimacy and, 838–840

Family Medical Leave Act, 179

Family practice doctor, 86

Famotidine, 46

  in gastroesophageal reflux, 747  
  medicinal herb interactions with, 57

Fasciitis, plantar, 515

### Fat

#### body

  estimate of, 41, 204  
  increase in, 14, 35, 210–213 (*see also* Obesity)  
  dietary, 30, 37–38  
  subcutaneous, 12, 431, 432

### Fatigue

  in cancer, 679–680  
  at end of life, 190

Fatty acids, trans, 37, 43

Fear, 6

Fecal incontinence, 759–760

  in colorectal cancer, 692  
  during hospitalization, 132–133  
  pressure sores and, 445

Feces (*see* Stool)

Feeding (*see also* Diet; Food;  
  Nutrition)

  intravenous, 207

  tube, 131, 144, 206–207

  in undernutrition, 131, 205–207

### Felodipine

  in coronary artery disease, 594

  in high blood pressure, 549

Felty's syndrome, 525

Femoral artery, 552

  aneurysm of, 569

Fenofibrate, 559

Fentanyl, 292

Fertility, male, 17

Fever, 226

  in influenza, 722

  in urinary tract infection, 764

Feverfew, 63–64

  drug interactions with, 56

Fiber, dietary, 38, 558

  in constipation, 752, 754

  in fecal incontinence, 760

Fibric acid derivatives, 559

Fibroids, uterine, 784, 785

### Fibrosis

  bone marrow, 651, 666, 668–670

  pulmonary, 608

Fillings, dental, 499

Filter, for blood clots, 579, 580

### Finances

  function and, 6

  health care, 854–867

  home health care and, 178, 181, 859

  of older Americans, 20–21

  relationships and, 839

Financial abuse, 844

### Finasteride

  in benign prostatic hyperplasia, 794

  in overflow incontinence, 776

Fine-needle aspiration biopsy, of thy-  
  roid gland, 413

### Fistula

  esophageal, in lung cancer, 698

  vesicoenteric, 762–763, 764

  vesicovaginal, 763, 764

Flapping tremor, 353

- Flashing lights, in diabetic retinopathy, 461
- Flecainide, 622
- Floater(s), 9  
in diabetic retinopathy, 461
- Flu (*see* Influenza)
- Fludrocortisone, 371
- Fluid(s) (*see also* Water)  
body  
loss of (*see* Dehydration)  
postsurgical imbalance of, 143  
retention of (*see* Swelling [edema])  
tests on, 98  
around heart (pericardial effusion), 567, 607  
around lungs (pleural effusion), in lung cancer, 697
- Fluid therapy  
in dehydration, 215–216, 503  
in diarrhea, 758–759  
in fainting prevention, 244  
for high calcium levels, 222  
in hyperthermia, 229  
shortness of breath and, 187
- Fluorescein angiography, 459, 461, 463
- Fluoride, supplemental, 266
- Fluoroscopy, in swallowing difficulty, 740
- Fluoxetine  
in depression, 393, 394  
St. John's wort interaction with, 59  
undernutrition and, 202
- Fluphenazine, 404
- Flurazepam, 44, 45  
urinary incontinence with, 771
- Flutamide, 712
- Fluvastatin, 559  
in coronary artery disease, 590, 594–595
- Fluvoxamine, 394
- Folic acid (folate)  
in coronary artery disease, 591  
deficiency of, 208, 650, 654–655, 659
- Food (*see also* Diet; Nutrition)  
acid reflux and, 744  
aspiration of, 206, 720, 739, 745  
calcium in, 38–39
- Food (*continued*)  
carbohydrates in, 37  
contamination of, 756  
empty-calorie, 37, 200  
energy content of, 35  
fats in, 37–38, 558  
fiber in, 38  
in gastroesophageal reflux, 746  
for healthy diet, 29–30  
hospital, 130–131  
labels for, 41–43  
in nursing home, 200  
nutrient content of, 37, 200  
potassium-rich, 612  
preparation of, 205  
protein in, 38  
reflux of, 206  
regurgitation of, 739  
rhinitis with, 488  
serving sizes of, 42  
in swallowing difficulty, 740–741  
swallowing of (*see* Swallowing)  
taste of, 11  
tooth loss and, 505  
vitamin D in, 38–39
- Food pyramid, 35, 36
- Foot (feet)  
bunion of, 511–513  
calluses of, 509–511  
care of, 419, 510  
corns of, 509–511  
in diabetes, 416, 417, 418, 419  
pain in, 514–516  
in peripheral arterial disease, 564
- Foreign objects, in esophagus, 738
- Forgetfulness, 308  
in Alzheimer's disease, 321  
in dementia, 310
- Forms, medical history, 80
- Fosinopril  
in coronary artery disease, 592  
in heart failure, 614  
in high blood pressure, 548
- Foster Grandparent Program, 824–825
- Fountain of youth, 1–3
- Fracture, 268–284  
bed rest and, 128, 274

Fracture (*continued*)  
cast for, 271–273  
healing of, 275–276  
hip, 249, 260, 276–280  
    prevention of, 251–252, 277  
    treatment of, 274, 277–280  
in osteoporosis, 259–260, 266,  
    280–282  
pins for, 272–273  
reduction of, 271  
shoulder, 282  
spine (vertebrae), 259–260, 280–282  
surgery for, 273–274  
traction for, 273  
wrist, 275, 283–284

Free radicals, 2, 5

Fructose, diarrhea and, 757

Fungal infection  
at end of life, 189  
oral, 507  
pneumonia, 719  
sinus, 490, 491  
toenail, 517–518

Furosemide, 217  
dizziness with, 232  
in heart failure, 612, 615  
urinary incontinence with, 771

---

## G

Gabapentin, 342

Gait  
in Parkinson's disease, 361–362  
in Shy-Drager syndrome, 369

Gait training, 150–151  
after hip replacement, 159  
after stroke, 158

Galantamine, 316

Gallbladder scan, 110

Gallium scan, 110

Gangrene  
with aneurysm, 571  
in peripheral arterial disease, 561

Garlic, 64  
drug interactions with, 56

Gas, with dairy products, 15–16

Gastroenteritis, 756, 757, 758

Gastroenterologist, 86

Gastroesophageal reflux disease  
(GERD), 734, 738, 743–747  
sleep disorders with, 375

Gay relationships, 840–841

Gemfibrozil, 559

Generic names, for drugs, 869–880

Genetic testing, 100–101

Genitals  
female, 778–781  
male, 791

GERD (*see* Gastroesophageal reflux disease)

Geriatric care manager, 96

Geriatrician, 88, 134

Gerontologist, 89

Giant cell arteritis, 537–542  
blood clots with, 659

Ginger, 65  
drug interactions with, 56–57

Gingivitis, 497, 500–501

Ginkgo biloba, 65–66  
in dementia, 316  
drug interactions with, 54–55, 57

Ginseng, 66–67  
drug interactions with, 57–58

Glare, sensitivity to, 9

Glasses (*see* Eyeglasses)

Glaucoma, 455–458  
dizziness and, 232  
driving and, 828

Gleason score, 708

Glimepiride, 422

Glipizide, 422  
medicinal herb interactions with, 57

Glucagon, 428

Glucosamine, 67  
in osteoarthritis, 523

Glucose, blood (*see* Blood sugar)

Glucosidase inhibitors, 421, 423

Glyburide, 422

Glycoprotein IIb/IIIa inhibitors, 593

Goiter, 406  
multinodular, 410, 411, 413

Gold compounds, 526

Goldenseal, 67–68  
drug interactions with, 58

Goniometry, 149

- Goserelin, 711–712
- Gout, 530–534  
vs. pseudogout, 535
- Grab bars, 252
- Grafts  
in aortic repair, 572  
in coronary artery bypass, 598–599  
in peripheral artery bypass, 564  
in pressure sores, 447  
in skin cancer, 714  
in venous ulcers, 450
- Graves' disease, 410, 411, 412
- Grieving, 196–197, 822  
information resources on, 884–885  
sleep disturbance and, 375
- Growth hormone (human), 69–70  
aging-related changes in, 17, 211
- Gryphosis, 517
- Guillain-Barré syndrome, in influenza, 722, 723
- Gums  
drug-related growth of, 500  
inflammation of (gingivitis), 497, 500–501  
recession of, 11
- Gustatory rhinitis, 488
- Gynecologists, 86
- 
- H**
- Haemophilus influenzae* infection, 719
- Hair  
chemotherapy-related loss of, 679  
undernutrition effects on, 204
- Hallpike maneuver, 236
- Hallucinations, 402
- Haloperidol, 45, 404  
medicinal herb interactions with, 57  
urinary incontinence with, 771
- Hammer toe, 513–514
- Hand exercises, 812
- Handwriting, in Parkinson's disease, 362
- Hashimoto's thyroiditis, 408
- H<sub>2</sub> blockers  
delirium with, 301  
in gastroesophageal reflux, 747  
medicinal herb interactions with, 57, 58
- HDL cholesterol (*see* Cholesterol)
- Head, cancer of, 701–703
- Headache  
in COPD, 728  
in high blood pressure, 545  
nitrate-related, 596  
in stroke, 330  
in temporal arteritis, 539
- Health care  
continuity of, 85–97  
coordination of, 95–97  
disruption of, 85–88  
end-of-life, 183–197  
home (*see* Home health care)  
insurance for, 854–867  
information resources on, 888  
interdisciplinary, 88, 95–96  
for hospice care, 195  
during hospitalization, 134  
for rehabilitation, 145  
palliative, 183–197  
settings for, 91–95
- Health care practitioners  
communicating with, 78–84, 96–97, 104  
teams of (*see* Health care, interdisciplinary)  
types of, 88–91
- Health Insurance Portability and Accountability Act, 849
- Health maintenance organization, 864, 866–867
- Healthy aging, 4, 6
- Healthy lifestyle, 29–31
- Hearing, 470–471  
aging-related changes in, 10–11  
loss of, 471–480  
conductive, 473–474  
dizziness and, 232  
drug-related, 473  
information resources on, 884  
physician-patient communication and, 80–81  
prevention of, 476  
rehabilitation for, 163  
screening for, 34  
sensorineural, 474

Hearing, loss of (*continued*)  
sleep disorders with, 373–374, 375  
tests for, 475  
tinnitus and, 481

Hearing aid, 163, 472, 476–478  
during hospitalization, 132  
during phone calls, 478

## Heart

abnormal rhythms of, 617–636 (*see also* Arrhythmias)

aging of, 14, 15

angina of, 557, 582, 585–586

angioplasty of, 596–598, 600

arteries of (*see* Coronary arteries)

blood clots in, 329, 606

blood flow through, 583, 604, 610

catheterization of, 101, 114–115,  
588–589, 600

effusion around (pericardial effusion),  
567, 607, 698

ejection fraction of, 610

enlargement of, 606

failure of (*see* Heart failure)

functional decline of, 6

murmurs of (*see* Murmurs)

oxygen requirement of, 582

pounding/racing of (palpitations)  
in abnormal heart rhythms, 617,  
619

in coronary artery disease, 585

fainting with, 239

in heart valve disorders, 638

sounds of, in heart failure, 609

stiffness of, 607

surgery on, 642

in abnormal heart rhythms,  
624–625

in coronary artery disease,  
598–599, 642

in heart failure, 613

rehabilitation after, 156–157, 601

in valve disorders, 640, 641, 642,  
648

valves of (*see* Heart valves)

Heart attack, 557, 582, 585, 586–587

in diabetes, 416, 417

dizziness after, 235

Heart attack (*continued*)

driving and, 830

emergency treatment of, 599–600

heart failure after, 606, 607

information resources on, 884

long-term outlook after, 602

recognition of, 587

referred pain in, 287

rehabilitation after, 156–157, 813

sexual activity and, 803

silent, 586

surgical risk after, 137

Heartbeats, 617–618

in atrial flutter and fibrillation,  
628–631

during exercise, 808

in heart block, 635–636

premature, 627

in sick sinus syndrome, 633–634

in sinus bradycardia, 633–634

in ventricular fibrillation, 632–633

in ventricular tachycardia, 631–632

Heart block, 618, 635–636

Heartburn, 744

Heart failure, 604–617

blood clots in, 660

cancer treatment and, 677

diastolic, 604–606, 607

dizziness in, 234

exercise in, 814–815

in heart valve disorders, 638–639

in high blood pressure, 545

left-sided, 604

outlook for, 613, 616–617

overhydration in, 216

prevention of, 610–613

pulmonary edema in, 586

rehabilitation for, 156–157

right-sided, 604

sexual activity and, 803

sleep disturbance with, 375

surgical risk and, 137

systolic, 604–606, 607–608

ubiquinone in, 61–62

Heart valves, 583

disorders of, 636–648

aortic valve, 642–645

- Heart valves, disorders of (*continued*)  
 dizziness with, 234  
 in heart failure, 608  
 mitral valve, 637, 646–648  
 outlook for, 641–642  
 sexual activity and, 803  
 function of, 636  
 replacement of, 640, 641, 642, 648
- Heat, body, 223–224, 227–228
- Heat cramps, 227, 228–229
- Heat exhaustion, 227, 228–229
- Heatstroke, 227, 228–229, 230
- Heat therapy, 147–148, 289  
 in osteoarthritis, 522  
 in rheumatoid arthritis, 529  
 in superficial thrombophlebitis, 576
- Heberden's nodes, 521
- Heel pain, 514–516
- Hemangioma, 435
- Hematocrit  
 in anemia, 653  
 in polycythemia, 667
- Hematologist, 86
- Hemiarthroplasty, 278–279
- Hemoglobin, 649
- Hemoglobin A<sub>1c</sub>, 426
- Hemolytic anemia, 651
- Hemorrhage, cerebral (*see* Stroke)
- Hemorrhoids, 751
- Heparin, 662  
 in clotting factor disorders, 662  
 in coronary artery disease, 592  
 in deep vein thrombosis, 580  
 in heart failure, 615  
 medicinal herb interactions with, 58  
 platelet count and, 656  
 in stroke, 336
- Herbal supplements, 55–60 (*see also* Dietary supplements)
- Hernia  
 hiatal, 736, 742, 744  
 inguinal, 797–798
- Herpes labialis (cold sores), 506–507
- Herpes simplex virus infection, 836–837
- Herpes zoster (shingles), 438–442  
 pain after, 286, 294, 344–345
- Hexitol, diarrhea and, 757
- Hiatal hernia, 736, 742, 744
- Hiccups, 351, 353
- High blood pressure, 542–551  
 aneurysm and, 568, 569  
 aortic dissection and, 566  
 atherosclerosis and, 554  
 coronary artery disease and, 584, 590  
 diagnosis of, 545–547  
 drugs for, 547–550 (*see also* Antihypertensive drugs)  
 essential, 544  
 garlic and, 64  
 malignant, 557  
 screening for, 32  
 secondary, 544  
 sexual activity and, 803  
 surgical risk and, 137  
 white-coat, 546
- Hip  
 arthritis of (*see* Arthritis)  
 fracture of, 249, 260, 276–280  
 prevention of, 251–252, 277  
 treatment of, 274, 277–280  
 replacement of, 278–280  
 in osteoarthritis, 523  
 rehabilitation after, 158–159  
 in rheumatoid arthritis, 529
- Histamine-2 (H<sub>2</sub>) blockers  
 delirium with, 301  
 in gastroesophageal reflux, 747  
 medicinal herb interactions with, 57, 58
- History, medical, 100  
 form for, 80  
 before surgery, 138
- HIV infection, 836–837  
 dementia with, 309
- HMG-CoA reductase inhibitors, 559
- HMO (health maintenance organization), 864, 866–867
- Hoarseness, 486  
 in lung cancer, 697
- Hobbies, 825
- Holter monitor, 620, 621  
 in atrial flutter and fibrillation, 629  
 in dizziness evaluation, 237

- Holter monitor (*continued*)  
 in fainting evaluation, 242  
 in fall evaluation, 251  
 in stroke evaluation, 334  
 in ventricular tachycardia, 631
- Home (*see also* Home health care)  
 assistive devices for, 154, 155, 180–181  
 blood pressure monitoring at, 546  
 hazards in, 247–248, 252–253  
 hospice care at, 195  
 rehabilitation at, 145–146  
 safety of, 31  
 in dementia, 314–315  
 in Parkinson's disease, 363  
 in stroke, 338  
 temperature of, 225, 227, 229
- Home health aide, 91, 93
- Home health care, 93  
 in dementia, 315  
 duration of, 93  
 by family, 175–183 (*see also* Caregiver; Caregiving)  
 finances for, 178, 181  
 hospice, 195  
 after hospitalization, 822–823  
 information resources on, 887  
 insurance coverage of, 181, 859
- Homeopathy, 75–76
- Homocysteine, blood level of  
 atherosclerosis and, 556, 560  
 coronary artery disease and, 585  
 high, 659, 662  
 stroke and, 328
- Homosexual relationships, 840–841
- Hormone-blocking therapy  
 in breast cancer, 688  
 in prostate cancer, 711–712
- Hormone replacement therapy (HRT)  
 in men, 801  
 in osteoporosis, 263–265  
 side effects of, 264  
 in vaginal bleeding, 785
- Hormones  
 aging-related changes in, 17, 211  
 receptors for, in breast cancer, 101, 685, 688
- Hormones (*continued*)  
 sex (*see* Estrogen; Testosterone)  
 supplemental, 2, 60  
 thyroid, 406–407 (*see also* Thyroid hormones)
- Horner's syndrome, 697
- Horse chestnut, 68–69  
 drug interactions with, 58
- Hospice care, 95, 194–196  
 information resources on, 884–885  
 insurance coverage of, 195–196, 859, 860
- Hospitalization, 92, 123–135  
 for abnormal heart rhythm, 620  
 admission for, 125–127  
 for confusion, 298–299  
 confusion with, 131–132  
 decision-making during, 850  
 for delirium, 305–306  
 delirium prevention during, 304–305  
 discharge from, 135  
 drug side effects during, 133–134  
 dying during, 24–25  
 emergency department and, 124–125  
 falls during, 133  
 home health care after, 822–823  
 incontinence during, 129, 132–133  
 insurance coverage of, 858  
 loss of independence with, 131  
 overhydration during, 216  
 problems during, 127–134  
 prevention of, 134–135  
 for stroke, 336  
 undernutrition with, 130–131
- Hotlines, 846
- HRT (*see* Hormone replacement therapy)
- Human growth hormone, 17, 69–70, 211
- Human immunodeficiency virus infection (*see* HIV infection)
- Humerus, fracture of, 282
- Humidity, 227–228
- Hyaluronate, 523
- Hydralazine, 614
- Hydrocephalus, normal-pressure, 309
- Hydrochlorothiazide, 217  
 in heart failure, 615  
 in high blood pressure, 549

- Hydromorphone, 292
- Hydrotherapy, 147, 289
- Hydroxychloroquine, 527
- Hydroxyurea
  - in myelofibrosis, 670
  - in polycythemia, 668
  - in thrombocytopenia, 664–665
- Hydroxyzine, 45
- Hyoscyamine, 45
- Hypercalcemia, 222
  - in constipation, 750
  - in multiple myeloma, 703, 705–706
- Hyperglycemia
  - in diabetes, 416, 827
  - dizziness with, 235
- Hyperglycemic (nonketotic) hyperosmolar coma, 416
- Hypericin, 72
- Hyperkalemia, 220–221
- Hypernatremia, 220
- Hyperparathyroidism, osteoporosis in, 259
- Hypertension, 542–551 (*see also* High blood pressure)
- Hyperthermia, 226–230
- Hyperthyroidism, 410–412
  - arrhythmias in, 619
  - high calcium level in, 222
  - information resources on, 886
  - osteoporosis in, 259
  - undernutrition and, 201
- Hypertrophic cardiomyopathy, dizziness with, 234
- Hyperuricemia, 530–534
- Hyperviscosity syndrome, 704
- Hypnosis, 290
- Hypocalcemia, 221
- Hypoglycemia
  - in diabetes, 427–428, 814, 827
  - dizziness with, 234, 235
- Hypokalemia, 220
- Hyponatremia, 219–220
- Hypopharynx, 485
- Hypotension (*see* Low blood pressure)
- Hypothalamus, 407
- Hypothermia, 223–226
  - with cold therapy, 148
- Hypothyroidism, 406, 407–410, 412
  - arrhythmias in, 619
  - constipation in, 750
  - dizziness in, 233, 235
  - information resources on, 886
  - low calcium level in, 221
  - mental function in, 308
  - osteoporosis with, 259
  - screening for, 33
  - weight gain with, 212
- Hypoxemia, after surgery, 143
- Hysterectomy, urinary incontinence and, 770
- Hysteroscopy, 785
- 
- I**
- Ibuprofen
  - for pain, 291
  - in rheumatoid arthritis, 526
- Ibutilide, 622–623, 630
- ICU (intensive care unit), 126
  - delirium and, 132, 301–302
  - psychosis in, 132
  - after surgery, 141–142
- Idiopathic thrombocytopenic purpura, 656, 657
- Iliac artery, 552
  - aneurysm of, 569
- Imaging tests, 99
- Imatinib, 676–677
- Imipramine, 394
- Immobilization (*see* Bed rest)
- Immune system
  - aging of, 18
  - echinacea effects on, 63
  - function of, 718
  - in polymyalgia rheumatica, 538
  - in shingles, 439
  - in temporal arteritis, 538
- Immunization, 31–32
  - in COPD, 730
  - influenza, 723–724
  - pneumococcal, 720
- Immuno-electrophoresis, in multiple myeloma, 704
- Immunosuppressant drugs
  - medicinal herb interactions with, 56, 59

- Immunosuppressant drugs (*continued*)
  - in rheumatoid arthritis, 527, 528
- Immunotherapy
  - in allergic rhinitis, 487–488
  - in cancer, 677
- Impaction, stool, 751, 752, 760
  - urinary incontinence and, 772
- Implant
  - cochlear, 479
  - dental, 505
  - lens, 454
- Implanted cardioverter-defibrillator, 624
  - in heart failure, 613
  - in ventricular fibrillation, 633
  - in ventricular tachycardia, 632
- Impotence (*see* Erectile dysfunction)
- Income, of older Americans, 20–21
- Incompetency, 850
- Incontinence
  - fecal, 759–760
    - in colorectal cancer, 692
    - hospitalization and, 129, 132–133
    - pressure sores and, 445
  - urinary, 16, 768–778
    - bed rest and, 129
    - in benign prostatic hyperplasia, 792
    - diuretics and, 218
    - exercises for, 776
    - function and, 6
    - hospitalization and, 129, 132–133
    - infection and, 764
    - information resources on, 887
    - long-term care and, 166
    - pressure sores and, 445
      - after prostate cancer treatment, 711
      - sleep disturbance with, 375
      - treatment of, 774–778
- Indapamide, 217
  - in heart failure, 615
  - in high blood pressure, 549
- Independence
  - loss of, 131
  - preservation of, 22–23
- Indigestion, sensation of
  - in coronary artery disease, 585
  - in heart attack, 587
- Indinavir, St. John's wort interaction
  - with, 59
- Indomethacin, 46
- Infarction
  - brain (*see* Stroke)
  - myocardial (*see* Heart attack)
- Infection
  - atherosclerosis and, 556
  - berberine and, 67–68
  - bladder, 762–766
  - catheter-related, 764
  - in chronic lymphocytic leukemia, 690, 691
  - in COPD, 732
  - dental, 497–498
  - in diabetes, 416, 417, 419
  - dizziness with, 232
  - garlic for, 64
  - gastrointestinal, 756, 757, 758
  - immune response to, 18
  - isolation for, 126
  - kidney, 762, 764, 766
  - melatonin and, 71
  - in multiple myeloma, 703, 705
  - in peripheral arterial disease, 561
  - of pressure sores, 442–443, 445, 448
  - prostate gland, 764, 795–797
  - respiratory, 717–725
  - sexually transmitted, 836–837
  - sinus, 489, 490
  - undernutrition and, 202, 204
  - urinary tract, 762–766
  - vaccines against, 31–32
  - vaginal, 781, 782
  - of venous ulcers, 449
- Infectious (septic) arthritis, 536–537
- Inflammation
  - Achilles tendon, 515
  - anus, 190
  - blood vessel (vasculitis), 525
  - brain (encephalitis), 722, 723
  - bursa (bursitis), 520
  - conjunctiva (conjunctivitis), 438
  - in coronary artery disease, 584–585
  - dental (periodontal disease), 497, 499–501
  - esophagus (esophagitis), 743

- Inflammation (*continued*)
  - eyelid (blepharitis), 468
  - gums (gingivitis), 497, 499–501
  - joint (arthritis), 518–539
  - muscle (myositis), 722, 723
  - nose (rhinitis), 486–489
  - pericardial (pericarditis)
    - in influenza, 722, 723
    - in rheumatoid arthritis, 525
  - pleura (pleuritis), 525
  - prostate gland (prostatitis), 795–797
  - sinuses (sinusitis), 489–491
  - skin, 434, 436–437
  - spinal cord (transverse myelitis), 722, 723
  - superficial veins (thrombophlebitis), 575–576
  - tendon (tendinitis), 520
  - treatment of, during rehabilitation, 147–148
  - vaginal (vaginitis), 781–782
  - vocal cord (laryngitis), 493
  - vulvar, 781–782
- Infliximab, 527
- Influenza, 721–725
  - in COPD, 730
  - vaccine for, 31, 487, 611, 723–724
- Information
  - about drugs, 31, 48–51
  - for doctor visit, 79–80, 82
  - for emergency department visit, 125
  - for hospital admission, 125–126
  - for test preparation, 103
- Informed consent, 848–849
  - for surgery, 138
- Informed refusal, 848
- Inguinal hernia, 797–798
- Inhaler, in COPD, 730, 731
- Injury
  - bone (*see* Fracture)
  - with falls, 249–250
  - prevention of, 31
  - after stroke, 332
- Insomnia, 371–372, 374–379
  - in Alzheimer's disease, 321
- Inspirometer, 720
- Instrumental activities of daily living, 22–23
- Insulin, 415
  - aging-related changes in, 17
  - complications from use of, 425
  - deficiency of (*see* Diabetes mellitus)
  - in diabetes, 421, 423–425
  - medicinal herb interactions with, 56, 57
  - resistance to, 415
  - weight gain with, 211
- Insurance plans, 854–867
  - home health care coverage of, 181, 859
  - hospice care coverage of, 195–196, 859, 860
  - information resources on, 888
  - long-term care coverage of, 858, 859, 860, 863, 865
- Intensive care unit (ICU), 126
  - delirium (psychosis) and, 132, 301–302
  - after surgery, 141–142
- Intention tremor, 358
- Interdisciplinary health care, 88, 95–96
  - for hospice care, 195
  - during hospitalization, 134
  - for rehabilitation, 145
- Interferon-alpha
  - in multiple myeloma, 705
  - in myelofibrosis, 670
  - in polycythemia, 668
  - in thrombocytopenia, 665
- Interleukin 6, in cancer, 674
- Intermittent bladder catheterization, 777
- Intermittent claudication, 557, 561, 564, 816
- Internist, 86
- Intervertebral disks, degenerative disease of, 233
- Intestine (*see* Large intestine; Small intestine)
- Intimacy, 832–841
  - dating and, 834–836
  - dementia and, 837–838
  - family and, 838–840

Intimacy (*continued*)  
homosexual relationships and, 840–841  
long-term relationships and, 832–834  
privacy and, 840  
sexual function and, 836–837  
Intracerebral hemorrhage, 326–327, 329, 339  
Intraocular pressure, increased (glaucoma), 455–458  
Intravenous route  
for fluid therapy, 216  
for nutrient administration, 207  
Iodine, radioactive, 412  
Ipratropium, 730  
Irbesartan  
in coronary artery disease, 592  
in heart failure, 614  
in high blood pressure, 548  
Iron  
deficiency of, 650  
anemia with, 650, 654  
supplemental, 46  
in anemia, 654  
constipation with, 750  
esophageal damage with, 738  
medicinal herb interactions with, 56  
Irrigation  
of ears, 483  
of nose, 490  
of pressure sores, 447  
Ischemia  
bowel, 562, 756  
brain, 325–326, 328–329, 336 (*see also* Stroke)  
myocardial, 582, 585–587 (*see also* Heart attack)  
Ischemic optic neuropathy, 464–465  
Isolated systolic hypertension, 543  
Isolation  
in hospital, 126  
sleep disturbance with, 376  
Isometric exercise, 149, 809  
in arthritis, 812  
Isosorbide dinitrate  
in coronary artery disease, 594, 596  
in heart failure, 614  
Isosorbide mononitrate, 594, 596

Isotonic exercise, 149, 809  
Isradipine  
in coronary artery disease, 594  
in high blood pressure, 549  
Itching, 432, 433–434  
at end of life, 190  
vulvar, 783  
Itraconazole, 518

---

## J

Jet lag, 385  
melatonin for, 71  
Joint(s) (*see also* Hip; Knee; Wrist)  
aging of, 12–13  
arthroscopy of, 100  
calcium crystal accumulation in (pseudogout), 534–537  
Charcot's, 348  
corticosteroid injection for, 523  
creaking sound in, 521  
deformities of, 521  
degenerative disease of (*see* Osteoarthritis)  
after fracture treatment, 269  
infection of, 536–537  
inflammation of (*see* Arthritis)  
needle aspiration of  
in gout, 531  
in infectious arthritis, 537  
in pseudogout, 535–536  
pain in (*see* Arthritis)  
stiffness in, 525  
after stroke, 332  
urate crystal accumulation in (gout), 530–534, 535  
Jugular veins, 552

---

## K

Kaolin-pectin, 758  
Kava, 70  
drug interactions with, 58  
Kegel exercises, 776, 809  
in incontinence, 775  
Keratosis, seborrheic, 435  
Ketones, 426  
Kidneys, 768  
aging of, 5, 16

Kidneys (*continued*)  
in diabetes, 416, 417, 427  
disorders of  
  anemia with, 650  
  heart failure and, 608  
  information resources on, 887  
  in multiple myeloma, 704  
  nerve problems in, 348  
  overhydration in, 216  
  polycythemia with, 666  
drug elimination by, 44  
failure of  
  cancer treatment and, 677  
  undernutrition and, 201–202  
in high blood pressure, 545  
infection of, 762, 764, 766  
NSAID effects on, 291  
stones in, in gout, 530, 531, 532, 534  
Kidney scan, 110  
*Klebsiella* infection, 719  
Knee  
  obesity and, 212  
  replacement of, 524  
    in osteoarthritis, 523  
    rehabilitation after, 159  
    in rheumatoid arthritis, 529  
Kyphosis, 259, 281

---

## L

---

Labels  
  drug, 50  
  food, 41–43  
Labia majora, 779  
Labia minora, 779  
Lactose intolerance, 15–16  
  diarrhea and, 757  
  undernutrition and, 202  
Lactulose, in constipation, 753  
Language (*see also* Speech)  
  in dementia, 310  
  perception of, 10–11  
Lansoprazole  
  in gastroesophageal reflux, 747  
  medicinal herb interactions with, 57,  
  58  
Large intestine  
  biopsy of, 695

Large intestine (*continued*)  
  cancer of, 692–696 (*see also* Colorectal cancer)  
    screening for, 115–117  
  colonoscopy of, 99–100, 101, 115–117,  
    694, 696  
  herniation of, 797–799  
  ischemia of, 756  
  perforation of, 117  
  polyps of, 692, 694, 695  
  slow stool transit in, 750  
  surgery on, 694, 695, 760  
Laryngitis, 493  
Larynx, 485–486  
  cancer of, 492  
  dryness of, 492  
Laser therapy  
  in age-related macular degeneration,  
    460  
  in diabetic retinopathy, 461  
  in glaucoma, 457–458  
  in rosacea, 437  
  in varicose veins, 575  
Laxatives, 752, 754  
  before colonoscopy, 116, 117  
  in constipation, 753  
  habitual use of, 755  
  undernutrition and, 203  
LDL cholesterol (*see* Cholesterol)  
Learned helplessness, 147  
Leflunomide, 526  
Leg  
  abnormal movements of, 379–382  
  amputation of  
    in peripheral arterial disease, 564  
    problems after, 161  
    rehabilitation after, 159–161  
  arterial (vascular) disease of, 554,  
    560–566  
  artificial, 160–161  
  brace for, 150, 158  
  claudication in, 416  
    in atherosclerosis, 557  
    in peripheral arterial disease, 561,  
    564, 816  
  superficial thrombophlebitis of,  
    575–576, 664

- Leg (*continued*)
  - swelling in, 216
  - in deep vein thrombosis, 577–578
  - ulcers of
    - in diabetes, 416, 417
    - venous, 448–450, 575
  - varicose veins of, 448–449, 573–575
- Legal issues, 847–854
- Legionella pneumophila* infection, 719
- Legionnaires' disease, 719
- Leiomyosarcoma, 682
- Lens (*see also* Eye[s])
  - artificial, 454
  - cloudiness of (cataract), 451–455
- Lepirudin, 592, 662
- Leukemia, 682
  - bleeding in, 674
  - chronic lymphocytic (CLL), 689–691
  - information resources on, 883
  - polycythemia vera and, 666
- Leukocyte esterase, 765
- Leukocytes (*see* White blood cells)
- Leukotriene receptor blockers, in allergic rhinitis, 487
- Leuprolide, 711–712
- Levodopa
  - in dystonia, 356
  - in Parkinson's disease, 364, 365–366
- Levorphanol, 292
- Lewy body dementia, 324–325
- Libido (sex drive)
  - female, 788–789
  - male, 17, 791, 801, 804
- License, driving, 830
- Licensed practical nurse, 89
- Lichen planus
  - mouth sores in, 507
  - of vulva, 783
- Lichen sclerosus, 783
- Licorice, 70
  - drug interactions with, 58–59, 70
- Lidocaine
  - in abnormal heart rhythms, 622
  - in postherpetic neuralgia, 294, 345
- Life-care community (continuing care retirement community), 93, 167, 170
- Life expectancy, 3, 18–19, 23–24
- Life-long learning, 825
- Lifestyle
  - changes in, 29
  - healthy, 29–31
  - in heart disorders, 156–157
- Ligaments, aging of, 13
- Light
  - for reading, 7, 9, 454
  - sensitivity to, 9
- Lightheadedness, 230–239
  - in diarrhea, 757
  - on standing, 128, 233, 235
- Lipids (*see* Fat; Lipoproteins)
- Lipoproteins
  - in coronary artery disease, 584
  - desirable level of, 555
  - garlic and, 64
  - screening for, 32
  - stroke and, 329
- Lipoprotein synthesis inhibitor, 559
- Lip reading, 480
- Lips, cold sores on, 506–507
- Lisinopril
  - in coronary artery disease, 592
  - in heart failure, 614
  - in high blood pressure, 548
- Lithium, hypothyroidism with, 408, 409
- Lithotripsy, in gout, 532
- Liver
  - acetaminophen effects on, 291
  - aging of, 5, 16
  - disorders of
    - cancer treatment and, 677
    - in myelofibrosis, 669
  - drug processing by, 44
  - failure of
    - flapping tremor with, 353
    - undernutrition and, 201–202
- Living alone, 822
  - undernutrition and, 201, 203
- Living arrangements
  - changes in, 822–824
  - of older Americans, 21–22, 165–175
  - relocation and, 823–824
- Living longer, strategies for, 2
- Living will, 138, 192–193, 851–852
- Local anesthesia, 140

- Long-term care facility, 93, 165–175 (*see also* Nursing homes)  
 for dementia patient, 315–316  
 after surgery, 165
- Long-term care insurance, 865
- Long-term relationships, 832–834
- Loperamide, 758
- Lorazepam, 44, 400  
 urinary incontinence with, 771
- Losartan  
 in coronary artery disease, 592  
 in heart failure, 614  
 in high blood pressure, 548
- Lotions  
 for dry skin, 433  
 in seborrheic dermatitis, 438
- Lou Gehrig’s disease (amyotrophic lateral sclerosis), swallowing difficulty in, 737
- Lovastatin, 559  
 in coronary artery disease, 590, 594–595
- Low back pain, chiropractic for, 73
- Low blood pressure  
 in anemia, 652–653  
 in diarrhea, 757  
 after eating (postprandial), 233, 235  
 fainting with, 240, 244–245  
 falls and, 248  
 after heart attack, 586  
 with hip fracture, 277  
 nitrate-related, 596  
 on standing (orthostatic), 128, 233, 235  
 in dehydration, 215  
 falls and, 248  
 in Shy-Drager syndrome, 369, 370–371  
 testing for, 236  
 tilt table for, 151  
 treatment of, 244–245  
 after surgery, 143
- Low-vision aids, 460
- Loxapine, 404
- Lumbar puncture (*see* Spinal tap)
- Lump  
 in breast, 683, 684  
 in skin, 713
- Lumpectomy, 686, 687
- Lungs  
 abnormal sounds in, 720, 729  
 aging of, 15  
 atelectasis of, 697  
 bed rest effects on, 129, 130  
 biopsy of, 698–699  
 cancer of, 696–701  
 defense mechanisms of, 718  
 disorders of  
 dizziness with, 234  
 exercise in, 815  
 heart failure and, 608  
 information resources on, 889  
 embolism of, 128  
 fluid accumulation in, 586, 609, 613  
 function testing of, 728–729  
 infection of, 717–725  
 obstructive disease of, 725–734 (*see also* Chronic obstructive pulmonary disease [COPD])
- Lung scan, 110, 578, 698
- Lupus, mouth sores in, 507
- Lupus anticoagulant, 659
- Lyme disease, dementia with, 309
- Lymph nodes  
 in breast cancer, 683, 687, 689  
 in cancer, 674  
 in chronic lymphocytic leukemia, 690
- Lymphocytic leukemia, chronic (CLL), 689–691
- Lymphoma, 682

---

## M

- Macular degeneration  
 age-related, 458–460  
 dizziness and, 232  
 driving and, 828
- Mad cow disease, dementia in, 309
- Magnesium deficiency, 209
- Magnesium salts, in constipation, 753
- Magnetic resonance angiography  
 peripheral artery, 562  
 in stroke, 333
- Magnetic resonance imaging, 107–108  
 in aortic aneurysm, 571  
 in aortic dissection, 568

- Magnetic resonance imaging  
(*continued*)  
in breast cancer, 684  
in clotting disorders, 661  
in fracture, 270  
in stroke, 333
- Magnet therapy, 75
- Malabsorption disorders, undernutrition and, 202
- Malignant tumor, 671 (*see also* Cancer)
- Malnutrition (*see* Undernutrition)
- Mammography, 110–112, 683–684
- Managed care, 864–867
- Manic depression, 387, 391, 393, 395  
information resources on, 885
- Mannitol, diarrhea and, 757
- Manometry  
anal, 760  
esophageal, 740, 746
- MAOIs (monoamine oxidase inhibitors)  
in depression, 393  
medicinal herb interactions with, 57, 58  
in Parkinson's disease, 364, 366
- Marriage, 832–834
- Massage, 148  
in osteoarthritis, 522–523
- Mastectomy, 686–687
- Masturbation, 387
- Medicaid, 863–864
- Medic Alert, 887 (*see also* Personal emergency response system)
- Medical ethicist, 91
- Medical history, 100  
form for, 80  
before surgery, 138
- Medical record, 97
- Medicare, 854–862  
hospice care benefit of, 195  
in last year of life, 25
- Medicare + Choice, 861–862
- Medications (*see* Drugs)
- Medigap insurance, 864
- Mediterranean diet, 2
- Megestrol, 679
- Meglitinides, 421, 422
- Melanocytes, 12, 432
- Melanoma, 712–714
- Melatonin, 71  
in circadian rhythm disorders, 385  
in insomnia, 378–379
- Melena, 757
- Memantine, 316
- Memory  
in Alzheimer's disease, 321  
in dementia, 310  
testing of, 33
- Memory aids, 51
- Meniere's disease, 232, 235
- Menopause, 16–17, 778  
bone loss after, 257–258 (*see also* Osteoporosis)  
coronary artery disease after, 584
- Mental health disorders, 386–405  
anxiety, 396–400  
depression, 386–396 (*see also* Depression)  
erectile dysfunction in, 799, 800  
information resources on, 885, 888  
psychosis, 400–405
- Mental status (*see also* Confusion)  
capacity and, 849–850  
hospitalization and, 131–132  
testing of, 298, 312–313
- Meperidine, 46
- Meprobamate, 47
- Mesenteric artery, 552
- Mesoridazine, 404
- Metabolic acidosis, 757
- Metastasis, 671, 672, 682 (*see also* Cancer)  
from breast cancer, 685  
from colorectal cancer, 695  
from lung cancer, 697–698  
to lungs, 696  
from prostate cancer, 707  
treatment of, 677
- Metaxalone, 47
- Metered-dose inhaler, 730, 731
- Metformin, 422  
dye interaction with, 106
- Methadone, 292
- Methimazole, 412
- Methocarbamol, 47

- Methotrexate
  - medicinal herb interactions with, 56
  - in rheumatoid arthritis, 526
- Methylcellulose
  - in constipation, 753, 754
  - in diarrhea, 758
- Methylclothiazide, 549
- Methyldopa, 47
- Methylphenidate, 393, 394
- Metoclopramide, 747
- Metolazone, 217
  - in heart failure, 612, 615
  - in high blood pressure, 549
- Metoprolol
  - in abnormal heart rhythms, 622
  - in coronary artery disease, 593–594
  - in heart failure, 614
  - in high blood pressure, 548
- Mexiletine, 622
- Midodrine, 371
- Miglitol, 423
- Migratory phlebitis (thrombophlebitis), 576
- Milk intolerance, 15–16
  - diarrhea and, 757
  - undernutrition and, 202
- Milrinone, 613, 616
- Minerals, 38–39
  - in bone maintenance, 255
  - deficiency of, 200, 207–210
  - in food, 37
  - high doses of, 207
  - supplemental, medicinal herb interactions with, 56
- Ministroke (transient ischemic attack), 328
  - driving and, 828, 830
- Mirtazapine
  - in depression, 394
  - in insomnia, 378
- Mistreatment, 843–847
- Mitral valve, 583, 636
  - regurgitation of, 637, 647–648
  - stenosis of, 637, 646–647
- Moexipril
  - in coronary artery disease, 592
  - in heart failure, 614
- Mohs' surgery, 713–714
- Moisturizers, 433
- Mole, 435, 713
- Molindone, 404
- Monoamine oxidase inhibitors (MAOIs)
  - in depression, 393
  - medicinal herb interactions with, 57, 58
  - in Parkinson's disease, 364, 366
- Monoclonal antibodies, in multiple myeloma, 704
- Montelukast, 487
- Mood stabilizers, 393, 395
- Moricizine, 622
- Morphine, 292
  - in coronary artery disease, 594
  - in heart failure, 613, 616
  - urinary incontinence with, 771
- Mortality, causes of, 23–25
- Motor nerves, 341
- Motor vehicle (*see* Automobiles; Driving)
- Mouth, 495
  - aging-related changes in, 11
  - burning, 506
  - cancer of, 33, 507, 701–703
  - candidiasis of, 507
  - care for, 501
  - dry, 11, 501–504
    - after radiation therapy, 702
    - tooth decay and, 497
  - in gastroesophageal reflux, 745
  - sores in, 506–507, 701
    - at end of life, 189
    - after radiation therapy, 702
- Movement disorders, 351–371
  - in dementia, 312
  - information resources on, 887
  - physical therapy for, 148–153
  - during sleep, 379–382
  - in stroke, 330
  - testing safety and, 103
- MRI (*see* Magnetic resonance imaging)
- Mucus
  - in chronic bronchitis, 726
  - in COPD, 727, 728, 732
  - in influenza, 723
  - in pneumonia, 719, 720

Multi-infarct dementia, 322–324  
Multiple myeloma, 703–706  
Multiple sleep latency test, 119  
Multivitamin, 39, 207  
Murmurs  
    in aortic sclerosis, 643  
    in heart valve disorders, 639  
Muscle(s)  
    aging of, 13  
    anal, 751  
    bed rest effects on, 13, 128  
    bladder, 16  
    cramps in, in atherosclerosis, 557  
    electrical stimulation of, 152–153  
    electromyography of, 120–121  
    inflammation of (myositis), in  
        influenza, 722, 723  
    loss of, 13, 128  
    in movement disorders, 351–371  
    in Parkinson's disease, 360–367  
    in polymyalgia rheumatica,  
        537–542  
    prolonged contractions of (dystonia),  
        354–356  
    repetitive movements of, 356–357  
    rigidity of (progressive supranuclear  
        palsy), 367–369  
    spasms of, 354–356  
        in myoclonus, 351–354  
        during sleep, 379–382  
        after stroke, 332  
        treatment of, 148  
    statin-related disorder of, 596  
    strengthening exercise for, 149,  
        809–810  
        in arthritis, 812  
        after fracture treatment, 274–275  
        in Parkinson's disease, 816  
        after stroke, 817  
    stretching exercise for, 810  
        in arthritis, 812  
        in Parkinson's disease, 816  
    weakness of  
        bed rest and, 13, 128  
        in cancer, 675  
        dizziness and, 233  
        in postpolio syndrome, 349

Muscle mass  
    estimate of, 41, 204  
    loss of, 13, 128  
Muscle relaxants, 47  
    delirium with, 301  
    medicinal herb interactions with, 58  
Myasthenia gravis, swallowing difficulty  
    in, 737  
*Mycobacterium tuberculosis* infection,  
    719  
Myelodysplastic syndrome, 650, 651  
Myelofibrosis, 651, 666, 668–670  
Myeloma, multiple, 703–706  
Myeloproliferative disorders, 651  
Myocardial infarction (*see* Heart attack)  
Myocardial ischemia, 582, 585–587  
Myoclonus, 351–354  
Myositis, 722, 723  
Myotomy, in achalasia, 741  
Myxedema coma, 408

---

## N

---

Nadolol  
    in abnormal heart rhythms, 622  
    in coronary artery disease, 593–594  
    in heart failure, 614  
    in high blood pressure, 548  
Napping, 378  
Naproxen  
    for pain, 291  
    in rheumatoid arthritis, 526  
Narcolepsy, 385  
Nasal spray  
    in allergic rhinitis, 487  
    in vasomotor rhinitis, 488  
    in viral rhinitis, 487  
    in viral sinusitis, 490  
Nasopharynx, 485  
Nateglinide, 422  
National Center on Elder Abuse, 847  
National organizations, for health infor-  
    mation, 881–889  
Nausea  
    in cancer, 675, 679  
    opioids and, 294  
    in terminal illness, 188  
    undernutrition and, 201

- Nebulizer, 730–731
- Neck
  - cancer of, 701–703
  - pain in, chiropractic for, 73
  - spasms of, 355
- Needle biopsy (*see* Biopsy)
- Nefazodone
  - in depression, 395
  - in insomnia, 378
- Neglect, 844, 845
- Neoplasm, 671 (*see also* Cancer)
- Nephrologist, 86
- Nerve(s)
  - aging of, 14
  - amyloid deposition in, 347
  - disorders of, 341–349 (*see also* Neuropathy)
  - tests of, 120–121
  - in vitamin B<sub>12</sub> deficiency, 652
- Nerve block, in trigeminal neuralgia, 342–343
- Nerve cells, in brain, 14
- Nerve conduction velocity, 120–121, 348
- Nervousness (*see* Anxiety)
- Nervous system
  - aging of, 14
  - communication through, 73
- Nesiritide, 613, 616
- Neuralgia, 341
  - postherpetic, 286, 294, 344–345, 438, 441, 442
  - trigeminal, 341–343
- Neurofibrillary tangles, 319
- Neurogenic bladder, 763, 772
- Neurologist, 87
- Neuropathic pain, 286
- Neuropathy, 341, 345–349
  - amyloid, 347
  - in diabetes, 416, 417, 419
  - optic, 464–465
  - in vitamin B<sub>12</sub> deficiency, 652
- Neurotransmitters, 14
  - in Alzheimer's disease, 320
  - in delirium, 302
  - in dementia, 307
- Niacin, 559
- Nicardipine
  - in coronary artery disease, 594
  - in high blood pressure, 549
- Nifedipine, 594
- Night driving, 829
- Night terrors, 385
- Nilutamide, 712
- Nisoldipine
  - in coronary artery disease, 594
  - in high blood pressure, 549
- Nitrates
  - in coronary artery disease, 594, 595–596
  - dizziness with, 234
  - after heart attack, 601
  - in heart failure, 613, 614, 616
  - sildenafil interaction with, 803
  - varденаfil interaction with, 803
- Nitroglycerin (*see* Nitrates)
- Nitroprusside, 616
- Nizatidine, 47
  - in gastroesophageal reflux, 747
  - medicinal herb interactions with, 57, 58
- Noceptive pain, 285–286
- Nocturia
  - in benign prostatic hyperplasia, 792
  - diuretics and, 218
  - infection and, 764
  - sleep disturbance with, 374
- Nodules, thyroid, 410, 411, 412–414
- Noise
  - hearing and, 10, 11, 473
  - measurement of, 476
  - protection from, 476
- Nonarticular rheumatism, 520
- Nonketotic (hyperglycemic) hyperosmolar coma, 416
- Nonprescription (over-the-counter) drugs, 51–52
- Nonsteroidal anti-inflammatory drugs (NSAIDs)
  - alcohol interactions with, 388
  - discontinuation of
    - before colonoscopy, 116
    - before electromyography, 120
    - before esophagogastroduodenoscopy, 117–118

- Nonsteroidal anti-inflammatory drugs (NSAIDs), discontinuation of (*continued*)  
before prostatic biopsy, 121  
before skin biopsy, 122  
esophageal damage with, 738  
in gout, 532, 533  
in heart failure, 611  
in osteoarthritis, 523  
overhydration with, 216, 218  
for pain, 290–291  
platelet function and, 656  
in pseudogout, 536  
in rheumatoid arthritis, 526, 528  
side effects of, 52
- Normal-pressure hydrocephalus, 309
- Nortriptyline  
in depression, 394  
urinary incontinence with, 771
- Nose, 484–485  
aging-related changes in, 11  
enlargement of (rhinophyma), 436  
inflammation of (rhinitis), 486–489  
irrigation of, 490
- NREM (nonrapid eye movement) sleep, 372
- NSAIDs (*see* Nonsteroidal anti-inflammatory drugs [NSAIDs])
- Nuclear scan, 109–110, 588
- Nurse, 88–89  
for home health care, 93  
for senior center, 94
- Nurse practitioner, 89
- Nurses' aide, 89, 91
- Nursing homes, 93, 166, 170–175  
for COPD, 734  
in dementia, 315–316  
demographics of, 21–22  
eating in, 172, 200  
evaluations of, 174  
food selection in, 200  
influenza vaccine in, 724  
insurance coverage of, 858, 859, 860, 863, 865  
intimacy needs and, 840  
overnight care in, 183  
payment for, 175
- Nursing homes (*continued*)  
pneumonia in, 717, 719  
regulation of, 174  
selection of, 172–173
- Nursing units, 134–135
- Nutraceutical, 55 (*see also* Dietary supplements)
- Nutrition, 35–43 (*see also* Diet; Food)  
disorder-related changes in, 39–40  
disorders of, 199–213  
drug-related changes in, 39  
for dying person, 189  
food labels for, 41–43  
for healthy diet, 29–30, 35–39, 205  
during hospitalization, 130–131  
information resources on, 888  
in pressure sore prevention, 447  
screening for, 40–41  
supplements for, 206  
after surgery, 144
- Nystagmus, 236
- 
- O**
- Obesity, 40, 41, 210–213  
acid reflux and, 744  
atherosclerosis and, 556, 558  
blood clots and, 660  
diabetes and, 415  
osteoarthritis and, 212  
urinary incontinence and, 770
- Obsessive-compulsive disorder, 397
- Obstructive sleep apnea, 382–384
- Occipital lobe stroke, 465
- Occult blood, 34
- Occupational therapist, 90
- Occupational therapy, 153–155  
in Parkinson's disease, 363  
in rheumatoid arthritis, 529  
after stroke, 158, 338
- Olanzapine, 404–405
- Old age, 3–4
- Oldest old, 19
- Olive oil, 2
- Olmesartan, 592
- Omega-3 fats, 37–38
- Omeprazole, 747  
medicinal herb interactions with, 57, 58

- Oncologist, 87
- On-off phenomenon, 366
- Onychia, 516–517
- Onychogryphosis, 516–517
- Onychomycosis, 517–518
- Operation (*see* Surgery)
- Ophthalmologist, 87
- Opioids, 291–294
  - in cancer, 678–679
  - constipation with, 750
  - in coronary artery disease, 594
  - delirium with, 301
  - in diarrhea, 758
  - end-of-life care and, 186, 187
  - in heart failure, 616
  - in lung cancer, 700
  - in postsurgical pain, 142
  - in shortness of breath, 187
  - side effects of, 293–294
  - urinary incontinence with, 771
  - withdrawal from, 293
- Optician, 89
- Optic nerve
  - in glaucoma, 455–458
  - ischemia of, 464–465
- Optometrist, 89
- Oral antihyperglycemic drugs, 421, 422–423
- Oral cavity (*see* Mouth)
- Oral hygiene, 498–499
- Oral sex, 387
- Organizations, for health information, 881–889
- Orgasm
  - female, 779
  - male, 17, 791
  - retrograde ejaculation and, 805
- Orlistat, 213
- Oropharynx, 485
- Orthopedist, 87
- Orthopnea, in heart failure, 608
- Orthostatic hypotension, 128, 233, 235
  - in dehydration, 215
  - falls and, 248
  - in Shy-Drager syndrome, 369, 370–371
  - testing for, 236
  - treatment of, 244–245
- Orthotics
  - for bunions, 513
  - for hammer toes, 514
  - in heel pain, 516
  - in osteoarthritis, 522
- Orthotist, 89
- Oseltamivir, 724, 725
- Osmotic agents, 753, 754
- Osteoarthritis, 519–524
  - chondroitin in, 61
  - glucosamine in, 67
  - obesity and, 212
  - sleep disorders with, 375
- Osteomalacia, 255
- Osteomyelitis, 445
- Osteopenia, 254
  - bone density scan in, 32–33
- Osteoporosis, 12, 254–266, 280–282
  - information resources on, 888
  - in multiple myeloma, 703, 704, 705
  - prevention of, 255, 262–263
  - screening for, 32–33, 104–106
- Osteosarcoma, 682
- Otolaryngologist, 87
- Otosclerosis, 474
  - dizziness and, 232
- Ovaries, 780
  - aging of, 5, 16–17
  - removal of, osteoporosis and, 258
- Overactive bladder, 769–770, 774–775
  - in benign prostatic hyperplasia, 792
- Overflow incontinence, 772, 776–777
  - in benign prostatic hyperplasia, 792
- Overhydration, 216–218
  - low sodium level and, 219–220
- Over-the-counter (nonprescription) drugs, 51–52
- Overweight (*see* Obesity)
- Oxalates, in vulvar pain prevention, 782
- Oxazepam, 44, 400
- Oximetry, 140
- Oxybutynin, 775
- Oxycodone, 293
- Oxygen, blood
  - in COPD, 726, 729
  - in deep vein thrombosis, 578

Oxygen, blood (*continued*)  
deficiency of (ischemia), 582 (*see also*  
Ischemia)  
surgery and, 140, 143

Oxygen therapy  
in COPD, 732–733  
during exercise, 815  
in heart failure, 613  
in lung cancer, 700  
in pneumonia, 721  
in shortness of breath, 187

Oxymorphone, 293

---

**P**

---

PACE (Program of All-Inclusive Care for  
the Elderly), 862

Pacemaker  
artificial, 624, 625  
in abnormal heart rhythms, 626  
in heart block, 635–636  
in heart failure, 613  
natural, 617

Pads, for incontinence, 777–778

Paget's disease  
of breast, 685  
hearing loss in, 473, 474  
high calcium level in, 222  
information resources on, 888  
of vulva, 714

Pain, 284–294  
abnormal heart rhythms with, 619  
in acid reflux, 744  
acupuncture for, 74  
in aneurysm, 569–571  
angina, 557, 582, 585–586, 599–600  
in aortic dissection, 567  
assessment of, 286–289  
in atherosclerosis, 557  
in atrial fibrillation, 629  
back  
chiropractic for, 73  
osteoarthritis and, 520  
after spinal fracture, 280–281  
bursa, 520  
in cancer, 674, 675, 678–679  
chest (*see* Chest, pain in)  
in COPD, 728

Pain (*continued*)  
in deep vein thrombosis, 577  
in dementia, 318  
drugs for, 290–294 (*see also* Anal-  
gesics)  
at end of life, 185–186  
during exercise, 809  
face, in trigeminal neuralgia, 341–343  
with falls, 249  
foot, 514–516  
with fracture, 268–269  
in gout, 531  
in heart attack, 587  
with hip fracture, 276–277  
in influenza, 722–723  
joint, 518–539  
near joints, 520  
leg  
in deep vein thrombosis, 577  
in diabetes, 416  
in peripheral arterial disease, 561,  
564  
after leg amputation, 161  
in lung cancer, 700  
magnet therapy for, 75  
in multiple myeloma, 703  
neuropathic, 185, 286  
nociceptive, 285–286  
in peripheral arterial disease, 561,  
562, 564  
in polymyalgia, 540  
postherpetic, 286, 294, 344–345, 438,  
441, 442  
in prostate cancer, 707  
in prostatitis, 796  
in pseudogout, 535  
psychogenic, 286  
receptors for, 285–286  
referred, 285, 287  
during rehabilitation, 147–148  
sensitivity to, 12  
after shingles, 286, 294, 344–345, 438,  
441, 442  
with spinal fracture, 280–281  
after surgery, 142  
in swallowing difficulty, 739  
in temporal arteritis, 539

- Pain (*continued*)  
 tendon, 520  
 during testing, 103–104  
 treatment of, 289–294  
   information resources on, 888  
 vulvar, 782
- Painkillers (*see* Analgesics)
- Palliative care, 183–197 (*see also* End-of-life-care)  
 in cancer, 680, 709–710  
 in heart failure, 616–617  
 vs. hospice care, 194–196  
 pain management in, 185–186  
 referral for, 194–195
- Pallidotomy  
 in dystonia, 356  
 in Parkinson's disease, 366
- Palpitations (*see also* Arrhythmias)  
 in abnormal heart rhythms, 617, 619  
 in coronary artery disease, 585  
 fainting with, 239  
 in heart valve disorders, 638
- Pamidronate  
 in multiple myeloma, 705  
 in osteoporosis, 263
- Pancoast syndrome, 697
- Pancreas, disorders of, undernutrition and, 202
- Pancreatitis, low calcium level in, 221
- Panic disorder, 398
- Pantoprazole, 747  
 medicinal herb interactions with, 57, 58
- Pap test, 34  
 in vaginal bleeding, 784
- Paraffin bath, 147
- Paralysis  
 after stroke, 158  
 vocal cord, 492
- Paranasal sinuses, 484–485  
 inflammation of (sinusitis), 489–491
- Paranoia, 402
- Paraphrenia, 401
- Parathyroid hormone  
 excess of, 222, 259  
 low levels of, 221  
 synthetic, 265, 266
- Parkinsonism, 361
- Parkinson's disease, 360–367  
 constipation in, 750  
 dementia in, 309  
 exercise in, 816  
 information resources on, 888  
 orthostatic hypotension in, 233  
 swallowing difficulty in, 737  
 undernutrition and, 202
- Paroxetine  
 in depression, 393, 394  
 St. John's wort interaction with, 59
- Pelvic examination  
 in urinary incontinence, 773  
 in vaginal bleeding, 784
- Pelvic (Kegel) exercises, 776, 809  
 in incontinence, 775
- Pelvic support disorders, 785–788  
 constipation and, 751  
 obesity and, 212
- Penbutolol  
 in abnormal heart rhythms, 622  
 in coronary artery disease, 593–594  
 in heart failure, 614  
 in high blood pressure, 548
- Penicillamine, 527
- Penis  
 erectile failure of, 799–803, 886  
 prosthetic, 803  
 scarring in, 800
- Pentazocine, 47
- Pentoxifylline, 564
- Percutaneous transluminal angioplasty, 564
- Percutaneous transluminal coronary angioplasty (PTCA), 596–598, 600
- Performance anxiety, 791
- Performance test, 100
- Pergolide, 364
- Pericardial effusion, 567, 607  
 in lung cancer, 698
- Pericarditis  
 constrictive, 607  
 in influenza, 722, 723  
 in rheumatoid arthritis, 525
- Perindopril  
 in coronary artery disease, 592

- Perindopril (*continued*)  
in heart failure, 614
- Periodic limb movements of sleep,  
379–382
- Periodontitis, 497, 499–501
- Peripheral arterial (vascular) disease,  
554, 560–566  
exercise in, 816–817
- Peristalsis, 736
- Pernicious anemia, 650
- Peroneal vein, 552
- Perphenazine, 404
- Personal emergency response system,  
253  
for fainting disorder, 245
- Personality changes  
in Alzheimer’s disease, 321  
in dementia, 310
- Pessary, 788
- PET (*see* Positron emission tomogra-  
phy)
- Pets, 841
- Peyronie’s disease, 800
- p53 gene, 685
- pH, esophageal, 746
- Phantom limb sensation, 161
- Pharmacist, 90, 97  
partnership with, 50–51
- Pharynx (*see* Throat)
- Phenazopyridine, 766
- Phenelzine, medicinal herb interactions  
with, 57
- Phenobarbital, 45  
medicinal herb interactions with, 56,  
59  
vitamin D deficiency and, 221
- Phenothiazines, swallowing difficulty  
with, 737
- Phenytoin  
in abnormal heart rhythms, 622  
gum growth with, 500  
medicinal herb interactions with, 57  
vitamin D deficiency and, 221
- Phlebotomy, 667
- Phlegm  
in chronic bronchitis, 726  
in COPD, 727, 728, 732
- Phlegm (*continued*)  
in influenza, 723  
in pneumonia, 719, 720
- Phobic disorders, 397
- Phosphorus  
in bone maintenance, 255  
deficiency of, 209
- Phototherapy  
in circadian rhythm disorders, 385  
in seasonal affective disorder, 396
- Physiatrist, 87
- Physical abuse, 843–844
- Physical activity, 30 (*see also* Exercise)  
appetite and, 201  
muscle strength and, 13
- Physical examination, 100
- Physical inactivity (*see also* Bed rest)  
atherosclerosis and, 556  
problems related to, 13, 128–130
- Physical therapist, 90
- Physical therapy, 148–153  
in dystonia, 356  
after fracture treatment, 274–275  
for heart disorders, 156–157  
after hip replacement, 158–159  
after knee replacement, 159  
after leg amputation, 159–161  
in osteoarthritis, 522–523  
in Parkinson’s disease, 363  
in rheumatoid arthritis, 529  
after stroke, 157–158, 338
- Physician, 28 (*see also* Primary care  
doctor)  
communicating with, 78–84  
in nursing home, 171  
office of, 92  
types of, 86–87
- Physician assistant, 90
- Pick’s disease, 309
- Pilocarpine, 504
- Pimozide, 404
- Pindolol, 614
- Pineal gland, 71
- Pinna, 470, 471
- Pioglitazone, 422
- Pituitary gland, 407
- Plantar fasciitis, 515

- Plaque  
  amyloid (senile), in Alzheimer's disease, 319  
  atherosclerotic, 553, 554  
    in coronary artery disease, 582–583  
    in stroke, 326, 328–329  
  dental, 497, 500
- Plasma, 648
- Plasma cells, 703–706
- Platelet(s), 649  
  in blood clotting, 658  
  high blood levels of (thrombocytopenia), 663–665  
  low levels of (thrombocytopenia), 655–657, 659  
  transfusion of, 657
- Plateletpheresis, 666
- Pleural space  
  air in, 728  
  fluid in, 697
- Pleuritis, in rheumatoid arthritis, 525
- Pneumatic stockings  
  in deep vein thrombosis, 580  
  after stroke, 337
- Pneumatia, 764
- Pneumococcal pneumonia, 719  
  vaccine for, 31–32, 720
- Pneumonia, 717–721  
  aspiration, 206, 720  
  after stroke, 332  
  with swallowing disorders, 739  
  in COPD, 730  
  pneumococcal, 719  
  vaccine for, 31–32, 720  
  risk factors for, 718–719
- Pneumothorax, 728
- Podiatrist, 89
- Poisoning, food, 756
- Polio, muscle weakness after (postpolio syndrome), 349
- Polyarteritis nodosa, blood clots with, 659
- Polycythemia, 665–668  
  in COPD, 729  
  secondary, 666
- Polycythemia vera (*see* Polycythemia)
- Polydipsia, 416
- Polyethylene glycol, 753
- Polymyalgia rheumatica, 537–542
- Polyphagia, 416
- Polyps  
  large intestine, 692, 694, 695  
  nasal, 486, 489
- Polysomnography, 119–120, 376
- Polyuria, 416
- Pool, exercise in, 810, 812, 817
- Popliteal artery, 552  
  aneurysm of, 569
- Population, aging, 18–20
- Portal hypertension, in myelofibrosis, 669
- Positron emission tomography, 108–109  
  in lung cancer, 698  
  in Parkinson's disease, 363
- Postherpetic neuralgia, 286, 294, 344–345, 438, 441, 442
- Postpolio syndrome, 349
- Postprandial hypotension, 233, 235
- Posttraumatic stress disorder, 398  
  sleep disturbance with, 375
- Postural tremor, 358
- Potassium  
  deficiency of, 209  
  in heart failure, 612  
  high levels of (hyperkalemia), 220–221  
  low levels of (hypokalemia), 220  
  supplemental, 218  
  esophageal damage with, 738
- Potassium channel blockers, 622–623
- Poverty, 20
- Power of attorney for health care, 25, 138, 192–193, 851, 852–853
- PPO (*see* Preferred provider organization)
- Pramipexole, 364, 366
- Pravastatin, 559  
  in coronary artery disease, 590, 594–595
- Prazosin  
  in high blood pressure, 548  
  urinary incontinence with, 771
- Prednisolone, 533

- Prednisone
  - in gout, 532, 533
  - in idiopathic thrombocytopenic purpura, 657
  - in multiple myeloma, 704
  - in myelofibrosis, 669–670
  - osteoporosis with, 259
  - in polymyalgia rheumatic, 541–542
  - in rheumatoid arthritis, 526
  - in temporal arteritis, 541–542
- Preferred provider organization, 861–862, 864
- Premature atrial beats, 618, 627
- Premature ventricular beats, 618, 627
- Presbycusis, 472–473
  - dizziness and, 232
- Presbylarynx, 486, 491
- Presbyopia, 7
- Pressure
  - blood (*see* Blood pressure; High blood pressure; Low blood pressure)
  - eye (intraocular), 232, 455–458, 828
- Pressure sores, 442–448
  - with assistive devices, 153
  - during bed rest, 128–129, 130
  - in dying person, 190
  - prevention of, 446–447
  - after stroke, 332, 337
- Prevalence, 102
- Prevention, 27–34
  - of atherosclerosis, 557–560
  - of cataracts, 453–454
  - of colorectal cancer, 692
  - of constipation, 755
  - of corns and calluses, 511
  - of coronary artery disease, 589–591
  - of deep vein thrombosis, 578–580
  - of delirium, 304–305
  - of dental disease, 498–499
  - of diabetes, 419
  - of fainting, 243–244
  - of falls, 251–253, 270
  - of fractures, 251–252, 270, 277
  - goals of, 28–29
  - of gout, 532
  - healthy lifestyle for, 29–31
  - Prevention (*continued*)
    - of hearing loss, 476
    - of heart failure, 610–613
    - of hyperthermia, 229
    - of hypothermia, 225
    - of influenza, 723–724
    - of injuries, 31
    - of lung cancer, 699
    - managed care for, 866
    - of mistreatment, 845
    - of osteoarthritis, 521
    - of osteoporosis, 255, 262–263
    - of periodontal disease, 501
    - of pneumonia, 720–721
    - of pressure sores, 446–447
    - of problems in hospital, 134–135
    - of pulmonary embolism, 579
    - screening for, 32–34
    - of skin cancer, 713
    - of stroke, 334–335
    - of tooth decay, 498–499
    - of undernutrition, 205–207
    - of urinary tract infection, 765
    - vaccines for, 31–32
    - of venous ulcers, 449
    - of vulvar skin disorders, 783–784
- Primary care doctor, 28
  - communicating with, 79–84
  - emergency department care and, 124–125
  - patient information for, 79–80, 82
  - selection of, 78–79, 80
  - visit to, 80–81, 82–84
- Primidone, 359
- Privacy, 840
- Private health care insurance, 863–864
- Probenecid, 533, 534
- Procainamide, 622, 630
- Procedures (*see* Test[s])
- Procidencia, 786, 787
- Progesterone
  - postmenopausal levels of, 780
  - receptors for, in breast cancer, 685, 688
- Progestin, 265
- Program of All-Inclusive Care for the Elderly, (PACE), 862

- Progressive supranuclear palsy,  
367–369  
dementia in, 309
- Prolapse (*see* Pelvic support disorders)
- Promethazine, 45
- Propafenone, 622, 630
- Propantheline, 45
- Propoxyphene, 47
- Propranolol  
in abnormal heart rhythms, 622,  
629–630  
in coronary artery disease, 593–594  
in heart failure, 614  
in high blood pressure, 548  
in Shy-Drager syndrome, 371  
in tremor, 359
- Propylthiouracil, 412
- Prostatectomy, 710  
erectile dysfunction and, 800  
in overflow incontinence, 777
- Prostate gland  
benign hyperplasia of, 16, 792–795  
saw palmetto effects on, 71  
sleep disturbance with, 375  
urinary incontinence and, 772  
urinary tract infection with, 763  
biopsy of, 121–122, 708  
cancer of, 706–712  
information resources on, 884  
screening for, 28, 33, 673, 707–708  
watchful waiting in, 709  
enlargement of (*see* Prostate gland,  
benign hyperplasia of)  
examination of, 793  
infection of, 764, 795–797  
information resources on, 888  
inflammation of, 795–797  
information resources on, 888  
removal of (*see* Prostatectomy)  
saw palmetto effects on, 71–72  
transurethral resection of (TURP),  
795  
erectile dysfunction and, 800
- Prostate-specific antigen (PSA), 33, 673,  
707, 793–794
- Prostatitis, 764, 795–797  
information resources on, 888
- Prosthesis  
leg, 160–161  
penile, 803
- Prosthetist, 89
- Protease inhibitors, St. John's wort in-  
teraction with, 59
- Protein(s)  
Bence Jones, 704  
dietary, 38
- Protein C deficiency, 659
- Protein S deficiency, 659
- Proteus* infection, 719
- Prothrombin G20210A polymorphism,  
659
- Proton pump inhibitors, 747  
medicinal herb interactions with, 57,  
58
- Proxy (*see* Durable power of attorney  
for health care)
- Pruritus (*see* Itching)
- PSA (prostate-specific antigen), 33, 673,  
707, 793–794
- Pseudobulbar palsy, swallowing diffi-  
culty in, 737
- Pseudodementia, 389
- Pseudoephedrine  
in stress incontinence, 775  
urinary incontinence with, 771
- Pseudogout, 534–537
- Pseudohypertension, 546–547
- Pseudomonas aeruginosa* infection,  
719
- Psoriasis, of vulva, 783
- Psychiatrist, 87
- Psychogenic incontinence, 772
- Psychogenic pain, 286
- Psychologic abuse, 844
- Psychologic age, 3–4
- Psychologic factors  
function and, 6  
undernutrition and, 203
- Psychologist, 89
- Psychosis, 400–405  
delirium and, 302  
depression with, 391, 393  
in intensive care unit, 132  
in Lewy body dementia, 324

Psychostimulants  
  in depression, 393, 394  
  in terminal illness, 191  
Psychotherapy  
  in anxiety, 400  
  in depression, 395  
Psyllium  
  in constipation, 753, 754  
  in diarrhea, 758  
Ptosis (eyelid droop), 467–468  
Pulmonary artery, 551, 552  
  angiography of, 578  
Pulmonary edema, in heart failure, 586,  
  609, 613  
Pulmonary embolism  
  bed rest and, 128, 269  
  in deep vein thrombosis, 577, 578  
  prevention of, 579, 580  
  after stroke, 332  
Pulmonary fibrosis, 608  
Pulmonary function testing, 728–729  
Pulmonary (pulmonic) valve, 583, 636  
Pulmonary vein, 552  
Pulmonologist, 87  
Pulse  
  in atrial fibrillation, 629  
  in atrial flutter, 629  
  in peripheral arterial disease, 562  
Pulse oximetry  
  in COPD, 729  
  in deep vein thrombosis, 578  
Punch biopsy, 122  
Pupil (*see also* Eye[s])  
  aging of, 9  
Purple coneflower, 63  
  drug interactions with, 56  
Pyelonephritis, 762, 764, 766

---

## Q

---

Qigong, 2  
Quadrantectomy, 686, 687  
Question(s)  
  about cancer, 676  
  about urinary incontinence, 773  
  from doctor, 81, 100  
  to doctor, 83–84, 104  
  for nursing home selection, 172–173

Quetiapine, 404–405  
Quinapril  
  in coronary artery disease, 592  
  in heart failure, 614  
  in high blood pressure, 548  
Quinidine, 622, 630

---

## R

---

Rabeprazole, 747  
Radiation therapy, 676  
  brain damage by, 308  
  in breast cancer, 687, 688  
  in chronic lymphocytic leukemia, 691  
  in colorectal cancer, 695  
  in head cancer, 702  
  in lung cancer, 700  
  in mouth cancer, 702  
  in multiple myeloma, 705  
  in neck cancer, 702  
  in prostate cancer, 709, 710–711  
  in vulvar cancer, 715  
Radioactive iodine, 412  
Radiologist, 87  
Radionuclide scan, 109–110  
  in coronary artery disease, 588  
  for fracture, 270  
  in prostate cancer, 708  
Raloxifene, 264, 265  
Ramipril  
  in coronary artery disease, 592  
  in heart failure, 614  
  in high blood pressure, 548  
Range-of-motion exercise, 149  
  after fracture treatment, 274–275  
  after stroke, 157  
Ranitidine, 47, 747  
  medicinal herb interactions with, 57, 58  
Rash  
  in rosacea, 436  
  in shingles, 439–440  
RDA (recommended dietary allowance),  
  35  
Reading  
  glasses for, 7  
  light for, 7, 9, 454  
Receptors  
  in breast cancer, 101, 685, 688

- Receptors (*continued*)  
of nervous system, 14  
pain, 285–286
- Recommended dietary allowance  
(RDA), 35
- Recovery unit, 141
- Rectal examination (*see* Rectum, digital  
examination of)
- Rectocele, 786, 787
- Rectum  
cancer of, 692–696 (*see also* Colorectal  
cancer)  
digital examination of  
in benign prostatic hyperplasia, 793  
in colorectal cancer, 692, 694  
in prostate cancer, 707  
in prostatitis, 796  
in urinary incontinence, 773  
enlargement of, 750–751  
prolapse of (rectocele), 786, 787
- Red, perception of, 9
- Red blood cells, 648  
deficiency of (*see* Anemia)  
excess production of, 665–668  
in COPD, 729  
hemoglobin of, 649  
production of, 650
- Redundancy, in brain, 14
- Reflux  
acid, 736, 738, 743–747  
with tube feeding, 206
- Refusal, informed, 848
- Regional anesthesia, 140–141
- Registered nurse, 89
- Regurgitation  
aortic valve, 644–645  
of food, 739  
mitral valve, 637, 647–648  
of stomach acid, 736, 738, 743–747
- Rehabilitation, 144–163  
for blindness, 163  
duration of, 92  
after fracture treatment, 274–275  
goals of, 146  
for hearing loss, 163  
after heart attack, 601, 813  
for heart disorders, 156–157
- Rehabilitation (*continued*)  
after heart surgery, 601  
after hip replacement, 158–159  
at home, 145–146  
inflammation treatment during,  
147–148  
information resources on, 885–886  
after knee replacement, 159  
after leg amputation, 159–161  
at nursing home, 171  
occupational, 153–155  
outcome of, 146–147  
pain treatment during, 147–148  
physical, 148–153  
pulmonary, 733  
settings for, 92, 145–146  
speech, 155, 161–163  
after stroke, 157–158, 337, 338  
team for, 145
- Relaxation training, 290
- Reliability, of test, 102–103
- Religion, 825–826
- Relocation, 823–824
- REM (rapid eye movement) sleep, 372  
thrashing during, 384
- Renal scan, 110
- Repaglinide, 422
- Reproductive system  
female, 778–781  
male, 791
- Reserpine, 47
- Resiliency, 820
- Resources, for health information,  
881–889
- Respiration, bed rest effects on, 129,  
130
- Respiratory infections, 717–725
- Respiratory syncytial virus infection,  
719
- Rest home (board-and-care facility),  
167, 169–170
- Resting tremor, 358
- Restless legs syndrome, 379–382
- Restlessness, 356–357
- Restraints  
in delirium, 305  
use of, 135

Retepase, 595  
Retina  
  age-related degeneration of, 458–460  
  detachment of, 465–467  
  in diabetes, 460–462  
  emboli of, 464  
  light sensitivity of, 7, 9  
  macular degeneration of, 458–460  
    dizziness and, 232  
    driving and, 828  
  tears of, 465–467  
Retinal artery, blockage of, 463  
Retinal vein, blockage of, 462–463  
Retinol (*see* Vitamin A [retinol])  
Retinopathy, diabetic, 460–462  
Retired and Senior Volunteer Program,  
  824–825  
Retirement, 820–821  
Retirement community, 21, 166, 168  
Retrograde ejaculation, 804–805  
Reverse isolation, 126  
Reverse mortgage, 181  
Rheumatic fever, 638, 646  
Rheumatism (*see also* Arthritis)  
  nonarticular, 520  
Rheumatoid arthritis, 524–529  
  exercise in, 811–813  
  undernutrition and, 202  
Rheumatologist, 87  
Rhinitis, 486–489  
Rhinophyma, 436  
Rimantadine, 724  
  in influenza, 725  
Ringing, in ears (tinnitus), 480–482  
Rings, esophageal, 738  
Risedronate, 263  
Risk profile, 28  
Risperidone, 404–405  
  medicinal herb interactions with,  
    57  
  urinary incontinence with, 771  
Ritonavir, St. John's wort interaction  
  with, 59  
Rivastigmine, 316  
Romance, 834–836  
Ropinirole, 364, 366  
Rosacea, 434, 436–437

Rosiglitazone, 422  
Rosuvastatin, 559, 595

---

## S

---

Sadness, 822  
Safe sex practices, 30  
Safety  
  of alternative therapies, 54–55  
  car, 31  
  drug, 31  
  for fall prevention, 133  
  home, 31 (*see also* Home, safety of)  
Saliva, 501–502  
  production of, 11  
  aging-related changes in, 736  
  drug-assisted, 504  
Salivary glands, blockage of, 502,  
  503–504  
Salmeterol, 730, 732  
Salt (sodium chloride)  
  in fainting prevention, 244  
  in heart failure, 608, 610–611  
  in hyperthermia prevention, 229  
Sarcoma, 682  
Sarcopenia, 13, 128  
Saw palmetto, 71–72  
  in benign prostatic hyperplasia, 794  
  drug interactions with, 59  
  in overflow incontinence, 776  
Scalp, seborrheic dermatitis of, 437–438  
Schatzki's ring, 738  
Sclera, color of, 9–10  
Sclerosis, aortic, 643  
Sclerotherapy, 575  
Scooter, 151, 153  
Screening tests, 32–34, 101  
  blood pressure, 32  
  bone density, 32–33, 104–105, 261  
  cancer, 34, 672–673  
    breast, 110–112, 673, 683–684  
    cervix, 34  
    colorectal, 34, 115–117, 673, 692,  
      694–695  
    mouth, 33  
    prostate, 28, 33, 673, 707–708  
    skin, 33, 673, 713  
  cholesterol, 32

- Screening tests (*continued*)
  - delirium, 33
  - dementia, 33
  - depression, 34
  - diabetes, 33, 418
  - hearing loss, 34
  - hypothyroidism, 33, 409
  - nutrition, 40–41
  - questionnaire for, 100
  - recommendation for, 102
  - vision loss, 34
- Seasonal affective disorder, 387, 396
- Seat belt, 31
- Seborrheic blepharitis, 438
- Seborrheic dermatitis, 437–438
  - of vulva, 783
- Seborrheic wart, 435
- Secobarbital, 45
- Sedatives (*see also* Benzodiazepines)
  - constipation with, 750
  - in delirium, 306
  - delirium with, 301
  - in dementia, 318
  - medicinal herb interactions with, 56, 58, 59
  - urinary incontinence with, 771
- Seizures
  - driving and, 828, 830
  - drugs for (*see* Anticonvulsants)
  - fainting with, 239
- Selective estrogen receptor modifiers (SERMs), 264, 265
- Selective serotonin reuptake inhibitors (SSRIs)
  - in anxiety, 399–400
  - in depression, 393, 394
  - St. John's wort interaction with, 59
  - undernutrition and, 202
- Selegiline, 364, 366
- Self-care activities, 22
- Self-determination, 848
- Self-image, 835
- Self-neglect, 845
- Semen, retrograde ejaculation of, 804–805
- Senescence, 1
- Senile plaques, 319
- Senior center, 94
- Senna, 753, 754–755
- Sensation
  - dizzy (*see* Dizziness; Fainting)
  - loss of, in neuropathy, 347–348
  - pain, 12 (*see also* Pain)
  - whirling (*see* Vertigo)
- Sensitivity, of test, 102
- Sensory nerves, 341
- Sepsis, with pressure sores, 445
- Septic arthritis, 536–537
  - with pressure sores, 445
- SERMs (selective estrogen receptor modifiers), 264, 265
- Serotonin antagonists, constipation with, 750
- Sertraline
  - in depression, 394
  - St. John's wort interaction with, 59
  - undernutrition and, 202
- Sex (*see also* Sexual function)
  - oral, 387
  - safe, 30
- Sex drive
  - in men, 17, 791, 801, 804
  - in women, 788–789
- Sex hormones (*see* Estrogen; Testosterone)
- Sexual abuse, 844
- Sexual function
  - female, 788–789
  - intimacy and, 836–837
  - male, 791, 799–805
- Sexually transmitted infection, 836–837
- Shampoos, antidandruff, 438
- Shingles (herpes zoster), 438–442
  - pain after, 286, 294, 344–345
- Shock
  - in aortic dissection, 567
  - cardiogenic, 586
  - in heart failure, 609
  - with hip fracture, 277
- Shock (electrical)
  - in cardioversion, 626, 630, 631
  - in ventricular fibrillation, 626, 633
- Shock (electroconvulsive) therapy, 395–396

- Shock wave therapy, in heel pain, 516
- Shoes  
 in arthritis, 812  
 ill-fitting, 509, 512  
 proper fit of, 511, 513, 514
- Shortness of breath (*see* Breath, shortness of)
- Shoulder fracture, 282
- Shy-Drager syndrome, 369–371
- Sick sinus syndrome, 618, 633–634
- Sigmoidoscopy, 34, 694  
 in constipation, 751  
 in fecal incontinence, 759–760
- Sildenafil  
 in erectile dysfunction, 802  
 nitroglycerin interaction with, 803
- Silent ischemia, 586
- Simvastatin, 559  
 in coronary artery disease, 590, 594–595
- Sinus bradycardia, 618, 633–634
- Sinuses, 484–485
- Sinusitis, 489–491
- Sinus (sinoatrial) node, 617
- Sjögren's syndrome, 466  
 dry mouth in, 503  
 information resources on, 889  
 in rheumatoid arthritis, 525
- Skilled nursing facility (*see* Nursing homes)
- Skin  
 aging of, 11–12, 430–431  
 biopsy of, 122–123, 434, 713  
 blue color (cyanosis) of  
 in COPD, 728  
 in heart failure, 609  
 bumps on, 435  
 cancer of, 435, 712–714  
 information resources on, 884  
 screening for, 33, 673, 713  
 disorders of, 430–450 (*see also specific disorders*)  
 dry, 432–433  
 examination of, 713  
 growths on, 435  
 itching of, 432, 433–434  
 lump in, 713
- Skin (*continued*)  
 rosacea of, 434, 436–437  
 seborrheic dermatitis of, 437–438  
 spots on, 435  
 tags of, 435  
 thickened, on feet, 509–511  
 thinning of, 12  
 ulcers of, 128–129, 130 (*see also* Pressure sores)  
 with assistive devices, 153  
 in diabetes, 416, 417, 419  
 in dying person, 190  
 undernutrition effects on, 204  
 vulvar, disorders of, 782–783
- Skin graft  
 in pressure sores, 447  
 in skin cancer, 714  
 in venous ulcers, 450
- Sleep  
 aging-related changes in, 372  
 in Alzheimer's disease, 321  
 apnea and, 382–384  
 in dementia, 311, 317–318, 372–373, 375  
 disorders of, 371–385  
 at end of life, 191  
 information resources on, 889  
 limb movement disorders of, 379–382  
 NREM, 372  
 obesity and, 212  
 positive strategies for, 373, 376–377  
 REM, 372  
 thrashing during, 384
- Sleep aids, 377–379  
 in dementia, 318  
 valerian as, 72
- Sleep apnea, 382–384
- Sleepiness, daytime, 371–372, 379
- Sleep study, 119–120, 378
- Sleepwalking, 385
- Sling, 271
- Small intestine, prolapse of (enterocele), 786, 787
- Smell  
 aging-related changes in, 11  
 impairment of, 484  
 in Parkinson's disease, 361

- Smoke detector, 31
- Smoking
  - acid reflux and, 744
  - arrhythmias with, 619
  - atherosclerosis and, 556
  - COPD and, 726–727
  - coronary artery disease and, 584
  - lung cancer and, 696–697
  - mouth cancer and, 701
  - quitting (cessation of), 30
    - in atherosclerosis, 558
    - in COPD, 729, 733
    - in coronary artery disease, 589
    - in gastroesophageal reflux, 746
    - in heart failure, 610
    - in stroke prevention, 334
    - weight gain with, 212
  - undernutrition and, 203
- Social relationships, 824–826, 832–841
  - restrictions on, 844
- Social worker, 91, 93
  - at nursing home, 171
- Sodium
  - deficiency of, 209–210
  - high levels of (hypernatremia), 220
  - low levels of (hyponatremia), 219–220
- Sodium channel blockers, 622
- Sorbitol
  - in constipation, 753
  - diarrhea and, 757
- Sores
  - mouth, 506–507, 701
    - after radiation therapy, 702
    - pressure (*see* Pressure sores)
- Sotalol
  - in abnormal heart rhythms, 622–623
  - in atrial flutter and fibrillation, 630
  - in ventricular tachycardia, 631–632
- Sounds, perception of, 10–11 (*see also* Hearing)
- Spasmodic dysphonia, 355
- Spasmodic torticollis, 355
- Spasms
  - coronary artery, 585
  - diaphragm (hiccups), 353
  - esophagus, 737, 740, 741
  - leg, 379–382
  - Spasms (*continued*)
    - muscle, 354–356
      - after stroke, 332
      - treatment of, 148
    - neck, 355
    - upper eyelid (blepharospasm), 355, 468
    - vocal cord (dysphonia), 355
- Specificity, of test, 102
- Speech
  - loss of, physician-patient communication and, 80–81
  - perception of, 10–11
    - hearing loss and, 474–475
  - in spasmodic dysphonia, 355
  - in stroke, 330
  - therapy for, 155, 161–163
    - after stroke, 158
  - in vocal cord atrophy, 491–493
- Speech discrimination testing, 475
- Speech reading, 480
- Speech therapist, 90
- Speech threshold audiometry, 475
- Sphincter
  - anal, 760
  - esophageal, 735, 736, 737
    - botulinum toxin injection of, 741
    - cutting of, 741
    - in gastroesophageal reflux, 743, 744, 746
  - urinary, 16, 768
- Spider veins, 574–575
- Spinal cord
  - aging of, 14
  - in compression fracture, 281
  - inflammation of (transverse myelitis), 722, 723
- Spinal nerves, in compression fracture, 281
- Spinal tap, 333–334
- Spine
  - compression fracture of, 259–260, 280–282
  - misalignment of, 73
  - osteoporosis of, 259–260, 280–282
- Spinning (dizziness), 230–239
- Spirituality, 825–826

- Spirolactone, 217
  - in heart failure, 612, 615
  - high potassium levels with, 221
- Spleen
  - in myelofibrosis, 669
  - in polycythemia vera, 665–666
  - removal of (splenectomy), 657
  - in thrombocytopenia, 664
- Splint, 271
  - in osteoarthritis, 522
- Spondylosis, cervical, dizziness in, 233
- Spouse, death of, 821–822
- Spur, heel, 515
- Sputum
  - in chronic bronchitis, 726
  - in COPD, 727, 728, 732
  - in influenza, 723
  - in pneumonia, 719, 720
- Squamous cell cancer, 712–714
- Squamous hyperplasia, of vulva, 783
- SSRIs (selective serotonin reuptake inhibitors)
  - in anxiety, 399–400
  - in depression, 393, 394
  - St. John's wort interaction with, 59
  - undernutrition and, 202
- St. John's wort, 59, 72
- Staging
  - breast cancer, 685
  - cancer, 675
  - chronic lymphocytic leukemia, 691
  - colorectal cancer, 693
  - prostate cancer, 708
- Stairs, walking on, 150
- Staphylococcus aureus* infection, 719
- Statins, 559
  - in coronary artery disease, 590, 594–595, 596
  - after heart attack, 601
- Steakhouse syndrome, 738
- Stem cells, 649, 651
  - transplantation of
    - in chronic lymphocytic leukemia, 691
    - in multiple myeloma, 705
    - in myelofibrosis, 669
- Stenosis
  - aortic valve, 642–644
  - mitral valve, 637, 646–647
- Stents
  - for coronary artery disease, 596–597
  - for heart attack, 600
  - for peripheral arterial disease, 564
- Steroids (*see also* Corticosteroids)
  - anabolic, medicinal herb interactions with, 56
- Stiffness
  - of heart muscle, 607
  - in polymyalgia rheumatica, 540
  - in rheumatoid arthritis, 525
- Stimulant agents, in constipation, 753, 754–755
- Stockings
  - in chronic venous insufficiency, 580
  - in deep vein thrombosis, 580
  - in edema, 218
  - in heart failure, 611
  - in low blood pressure, 237
  - after stroke, 337
  - in varicose veins, 575
- Stomach
  - acid in (*see* Acid, stomach)
  - hernia of (hiatal hernia), 736, 742, 744
- Stones, kidney, 530, 531, 532, 534
- Stool (feces)
  - black, 757
  - blood in, 34, 652, 692, 694, 757
    - in gastroesophageal reflux, 745
  - colostomy for, 694
  - in constipation (*see* Constipation)
  - in diarrhea (*see* Diarrhea)
  - examination of, 758
  - impaction of, 751, 752, 760
    - urinary incontinence and, 772
  - incontinence of, 759–760
    - in colorectal cancer, 692
    - during hospitalization, 132–133
    - pressure sores and, 445
  - passing of (*see* Bowel movements)
  - slow transit of, 750
- Stool softeners, 753, 754, 755
  - in prostatitis, 796

- Stratum corneum, 432
- Strengthening exercise, 13, 149, 809–810
  - in arthritis, 812
  - after fracture treatment, 274–275
  - in Parkinson’s disease, 816
  - after stroke, 817
- Strep throat, 638, 646
- Streptokinase, 662
  - in coronary artery disease, 595
  - in deep vein thrombosis, 580
  - in peripheral arterial disease, 563
- Stress
  - abnormal heart rhythms with, 619
  - delirium with, 301
- Stress incontinence, 770, 772, 775–776
- Stress testing, 620
  - in coronary artery disease, 588, 813
  - for sexual activity safety, 803
  - in ventricular tachycardia, 632
- Stretching exercise, 810
  - in arthritis, 812
  - in Parkinson’s disease, 816
- Stricture
  - esophageal, 737–738, 743
  - urethral, 772
- Stroke, 325–339, 557
  - in abnormal heart rhythms, 619
  - atherosclerosis and, 554
  - dementia after, 322–324
  - in diabetes, 416, 417, 427
  - dizziness with, 232
  - driving and, 828, 830
  - erectile dysfunction and, 800
  - exercise after, 817
  - hemorrhagic, 326–327, 329, 337, 339
  - in high blood pressure, 545
  - information resources on, 883, 884
  - ischemic, 325–326, 328–329, 336
  - occipital lobe, 465
  - prevention of, 334–335
  - rehabilitation after, 157–158, 338
  - risk factors for, 327–328
  - swallowing difficulty in, 737
  - symptoms of, 330–332
  - undernutrition and, 202
  - urinary incontinence and, 772
- Stye, 469
- Subarachnoid hemorrhage, 326–327, 329, 339
- Subdural bleeding (hematoma, hemorrhage), dementia with, 309
- Sucralfate, medicinal herb interactions with, 57
- Sugar(s)
  - blood
    - high (*see* Diabetes mellitus)
    - levels of, 33
    - low (*see* Hypoglycemia)
    - monitoring of, 425–426
    - screening of, 33, 418
  - urine, 426
- Suicide, 390
  - assisted, 193–194
  - information resources on, 888
- Sulfasalazine, 527
- Sulfinpyrazone, 533, 534
- Sulfonyleureas, 421, 422
  - medicinal herb interactions with, 57
- Sun-downing, 372
- Sunlight exposure, 11–12
- Sunscreen, 713
- Superficial thrombophlebitis, 575
- Superior vena cava syndrome, 698
- Supplemental health care insurance, 863–864
- Supplements
  - dietary, 2, 55–72
    - drug interactions with, 49, 54–55, 56–59
    - for nutritional disorders, 206
  - enzyme, 60
  - hormone, 2, 60, 801, 804
  - medicinal herb interactions with, 56
  - vitamin (*see* Vitamin[s])
- Support stockings
  - in edema, 218
  - in heart failure, 611
  - in low blood pressure, 237
- Supranuclear palsy, progressive, 367–369
- Supraventricular tachycardia, 618
- Surgeon, 87
- Surgery, 137–144
  - in abnormal heart rhythms, 624–625

Surgery (*continued*)  
anesthesia for, 140–141  
aortic aneurysm, 572–573  
aortic dissection, 568  
aortic stenosis, 644  
benign prostatic hyperplasia, 795  
breast cancer, 686–687  
cancer, 676  
care after, 138–139, 141–144  
colorectal cancer, 695  
complications of, 142–144  
constipation after, 750  
coronary artery disease, 598–599, 642  
delirium after, 301  
eye, 452  
    in cataracts, 454–455  
    in diabetic retinopathy, 461  
    in glaucoma, 457–458  
in fainting-related disorder, 245  
in fecal incontinence, 760  
fracture, 273–274  
hammer toe, 514  
heart, 642  
    in abnormal heart rhythms,  
        624–625  
    in coronary artery disease, 598–599  
    in heart failure, 613  
    in heart valve disorders, 640, 641,  
        642, 648  
    rehabilitation after, 156–157  
hip  
    for fracture, 277–280  
    in osteoarthritis, 523  
    rehabilitation after, 158–159  
    in rheumatoid arthritis, 529  
informed consent for, 848–849  
inguinal hernia, 798–799  
knee, 524  
    in osteoarthritis, 523  
    rehabilitation after, 159  
    in rheumatoid arthritis, 529  
leg amputation, 159–161, 564  
long-term care facility after, 165  
lung cancer, 699–700  
monitoring during, 139–140  
in pelvic support disorders, 788  
in peripheral arterial disease, 564

Surgery (*continued*)  
    positioning for, 139  
    preparation for, 138–139  
    prostate cancer, 709  
    in prostate cancer, 710  
    risks of, 137–138  
    skin cancer, 713–714  
    in stress incontinence, 775–776  
    urinary incontinence and, 770  
    varicose veins, 575  
    in ventricular tachycardia, 632  
    vocal cord, 493  
    vulvar cancer, 715  
Surrogate, 854  
Suspiciousness (paranoia), 402  
Swallowing, 735  
    abnormal heart rhythms with, 619  
    acid reflux and, 745  
    aging-related changes in, 736  
    difficulty in, 736–743  
    disorders of, 486, 734, 736–743  
    in lung cancer, 698  
    in Parkinson's disease, 362  
    in progressive supranuclear palsy,  
        368–369  
    therapy for, 155  
Sweat glands, 12  
Sweating, 227–228  
Swelling (edema), 216–218  
    in deep vein thrombosis, 577–578  
    with fracture, 269  
    in heart failure, 604, 608, 609, 611  
    horse chestnut in, 68  
    pulmonary (*see* Pulmonary edema)  
Swimming, 148–149  
    ear blockages with, 473  
Swimming pool, exercise in, 810, 812, 817  
Syncope (*see* Fainting)  
Syphilis, dementia with, 309  
Systolic blood pressure, 32  
Systolic hypertension, isolated, 543

---

**T**

Tachycardia, 618  
    bradycardia with, 634  
    ventricular, 631–632  
Tadalafil, 802

- Tags, skin, 435
- Tai chi, 2, 30, 810
- Talking (*see* Speech)
- Tamoxifen
  - blood clots with, 660
  - in breast cancer, 688
- Tamsulosin
  - in benign prostatic hyperplasia, 794
  - in prostatitis, 796
  - urinary incontinence with, 771
- Tap water enema, 752
- Tardive dyskinesia, 356–357, 403
- Tartar, 497
- Taste, aging-related changes in, 11
- Tea, urinary incontinence with, 771
- Team health care, 88, 95–96
  - for hospice care, 195
  - during hospitalization, 134
  - for rehabilitation, 145
- Tears, 466
  - production of, 9
- Telmisartan
  - in coronary artery disease, 592
  - in heart failure, 614
- Telomeres, 5
- Temazepam, 44, 400
- Temperature
  - body, 222–230
    - high (fever), 226
    - increase in (hyperthermia), 226–230
    - low (hypothermia), 223–226
    - during surgery, 139–140
  - home, 225, 227, 229
  - of hot water heater, 31
- Temporal arteritis, 464, 465, 537–542
  - blood clots with, 659
- Temporal artery, biopsy of, 540, 541
- Temporal vein, 552
- Tendinitis, 520
  - Achilles, 515
- Tenecteplase, 595
- TENS (transcutaneous electrical nerve stimulation), 152–153, 289
- Terazosin
  - in benign prostatic hyperplasia, 794
  - in high blood pressure, 548
- Terazosin (*continued*)
  - in overflow incontinence, 776
  - in prostatitis, 796
  - urinary incontinence with, 771
- Terbinafine, 518
- Teriparatide, 265, 266
- Terminal illness (*see* End-of-life care)
- Test(s), 98–123
  - biopsy, 100
  - blood (*see* Blood, testing of)
  - blood sugar (glucose), 418
  - body fluids, 98
  - body function, 100
  - bone density, 32–33, 104–106, 261–262
  - diagnostic, 101
  - endoscopic, 99–100
  - genetic, 100–101
  - hearing, 475
  - imaging, 99
  - mental status, 298
  - Pap, 34, 784
  - preparation for, 103–104
  - pulmonary function, 728–729
  - recommendation for, 102
  - screening (*see* Screening tests)
  - stress, 588, 620, 632
  - before surgery, 138
  - thyroid function, 409, 411
  - in undernutrition, 204
  - urine, 765
  - urodynamic
    - in incontinence, 774
    - in pelvic support disorders, 788
- Testes, aging of, 5, 17
- Testosterone
  - aging-related changes in, 17, 211
  - bone maintenance and, 257, 258
  - deficiency of, 801, 804
    - erectile dysfunction and, 800
  - in osteoporosis, 264
  - postmenopausal levels of, 780–781
  - in prostate cancer, 711–712
  - supplemental, 801, 804
- Tetanus and diphtheria vaccine, 32
- Thalamic stimulation, 359–360
- Thalamotomy, 359–360
- Thalidomide, 705

- Theophylline  
 in COPD, 731–732  
 St. John's wort interaction with, 59  
 undernutrition and, 202
- Therapist, 90
- Thiazides  
 in heart failure, 615  
 urinary incontinence with, 771
- Thiazolidinediones, 421, 422
- Thioridazine, 45, 404  
 urinary incontinence with, 771
- Thiothixene, 45, 404  
 urinary incontinence with, 771
- Thirst  
 aging-related effects on, 228  
 in diabetes, 416  
 in dying person, 189
- Thoracotomy, 699
- Three-dimensional conformal  
 radiotherapy, in prostate cancer,  
 711
- Throat, 485–486  
 in gastroesophageal reflux, 745  
 sore, 723  
 strep, 638, 646  
 tickle in, 492
- Thrombocytes (*see* Platelet[s])
- Thrombocytopenia, 663–665  
 primary, 651
- Thrombocytopenia, 655–657, 659
- Thrombocytopenic purpura  
 idiopathic, 656, 657  
 thrombotic, 656
- Thrombolytic drugs  
 in clotting disorders, 662, 663  
 in coronary artery disease, 595  
 in deep vein thrombosis, 580  
 in heart attack, 600  
 in peripheral arterial disease, 563
- Thrombophlebitis  
 deep vein, 577–580  
 migratory, 576  
 superficial, 575–576, 664
- Thrombosis (*see also* Blood clots)  
 deep vein, 577–580
- Thrombus (*see* Blood clots)
- Thrush, 507
- Thyroid disorders, 405–414  
 dizziness in, 233, 235  
 high calcium level in, 222  
 with high thyroid hormone level (hyperthyroidism), 410–412, 619  
 information resources on, 886  
 low calcium level in, 221  
 with low thyroid hormone level (hypothyroidism), 406, 407–410, 412, 619, 750  
 nodules in, 410, 411, 412–414  
 osteoporosis in, 259  
 screening for, 33  
 undernutrition and, 201  
 weight gain with, 212
- Thyroid gland, 405–406  
 cancer of, 413, 414  
 disorders of (*see* Thyroid disorders)  
 enlargement of (goiter), 406  
 information resources on, 886  
 nodules of, 410, 411, 412–414  
 overactive (hyperthyroidism),  
 410–412, 619  
 underactive (hypothyroidism), 406,  
 407–410, 412, 619, 750
- Thyroid hormones, 406–407  
 drug interactions with, 409–410  
 high level of (hyperthyroidism),  
 410–412, 619  
 information resources on, 886  
 low level of (hypothyroidism), 406,  
 407–410, 412, 619, 750  
 replacement of, 409–410
- Thyroiditis, Hashimoto's, 408
- Thyroid scan, 109  
 in hyperthyroidism, 411–412  
 in nodule evaluation, 413
- Thyroid-stimulating hormone, 407  
 in hyperthyroidism, 411  
 in hypothyroidism, 409
- Thyroid storm, 411
- Thyroxine, undernutrition and, 202
- TIA (transient ischemic attack), 328
- Tic douloureux, 341–343
- Ticlopidine  
 in coronary artery disease, 592–593  
 in peripheral arterial disease, 563–564

- Tilt table, 151, 243
- Timolol
  - in abnormal heart rhythms, 622
  - in coronary artery disease, 593–594
  - in heart failure, 614
- Tinnitus, 480–482
- Tinzaparin, 592
- Tirofiban, 662
  - in coronary artery disease, 593
- Tissue plasminogen activator (tPA), 662
  - in coronary artery disease, 595
  - in deep vein thrombosis, 580
  - in peripheral arterial disease, 563
  - in stroke, 336
- Tocainide, 622
- Toe(s)
  - corns of, 509–511
  - hammer, 513–514
- Toenails
  - care of, 510
  - curling of, 517
  - fungal infection of, 517–518
  - thickening of, 516–517
  - trimming of, 517
- Toe raises, 381
- Tolazamide, 422
- Tolbutamide, 422
- Tolcapone, 364, 366
- Tolerance, drug, 293
- Tolterodine, 775
- Tongue, taste buds of, 11
- Tooth (teeth)
  - abscess of, 497–498
  - after cancer treatment, 702–703
  - care for, 495, 498–499, 501
  - cavities in, 495–499
  - inflammation of, 499–501
  - loss of, 504–506
  - replacement of, 505–506
  - undernutrition and, 202
- Tophi, 530, 532
- Torseamide, 612, 615
- Torticollis, spasmodic, 355
- Toxic multinodular goiter, 410, 411, 413
- tPA (*see* Tissue plasminogen activator)
- Trachea, 485
- Tracheitis, 722
- Traction
  - for fracture, 273
  - during rehabilitation, 148
- Trade names, for drugs, 869–880
- Traffic violations, 826–827
- Trandolapril
  - in coronary artery disease, 592
  - in heart failure, 614
  - in high blood pressure, 548
- Transcutaneous electrical nerve stimulation (TENS), 152–153, 289
- Transducer, for ultrasound scan, 112–113
- Transesophageal echocardiography
  - in aortic aneurysm, 571
  - in aortic dissection, 568
  - in heart valve disorders, 639
  - in stroke evaluation, 334
- Trans fatty acids, 37, 43
- Transfer board, 150
- Transfer training, 150
- Transient ischemic attack (TIA), 328
  - driving and, 828, 830
- Translator, 135
- Transplantation, stem cell
  - in chronic lymphocytic leukemia, 691
  - in multiple myeloma, 705
  - in myelofibrosis, 669
- Transurethral resection of prostate gland (TURP)
  - in benign prostatic hyperplasia, 795
  - erectile dysfunction and, 800
- Transverse myelitis, 722, 723
- Trastuzumab, 688
- Travel, information resources on, 889
- Trazodone
  - in depression, 395
  - in insomnia, 378
- Tremor
  - essential, 357–360
  - flapping, 353
  - in Parkinson's disease, 360–361
  - of voice, 486
- Triamcinolone, 533
- Triamterene, 217
- Tricuspid valve, 583, 636

Tricyclic antidepressants  
delirium with, 301  
in depression, 393, 394  
movement disorder with, 356–357  
in pain management, 294

Trifluoperazine, 404

Trigeminal neuralgia, 341–343

Triglycerides  
in coronary artery disease, 584  
desirable level of, 555  
disease-related abnormalities in, 556  
screening for, 32  
stroke and, 329

Trihexyphenidyl  
in dystonia, 356  
in Parkinson's disease, 365, 366

Trimethobenzamide, 47

Tripelennamine, 45

Troponin, 589

T score, 261  
on DEXA scan, 262

Tube, feeding, 131  
after surgery, 144  
in undernutrition, 206–207

Tuberculosis, 18

Tumor(s), 671, 682–715 (*see also* Cancer)  
benign, 671  
breast, 682–689 (*see also* Breasts, cancer of)  
constipation with, 750  
head, 701–703  
information resources on, 883–884  
large intestine, 692–696 (*see also* Large intestine, cancer of)  
lung, 696–701  
mouth, 701–703  
neck, 701–703  
prostate, 706–712 (*see also* Prostate gland, cancer of)  
screening for (*see* Screening tests, for cancer)  
skin, 712–714  
vulva, 714–715

Tumor necrosis factor, 674

Tumor necrosis factor inhibitors, 527

Tuning fork test, 475

TURP (transurethral resection of prostate gland)  
in benign prostatic hyperplasia, 795  
erectile dysfunction and, 800

---

## U

Ubiquinone, 61–62

Ulcers  
decubitus (*see* Pressure sores)  
in diabetes, 416, 417, 419  
esophageal, 743  
gastric, chamomile and, 61  
mouth, 506–507  
in cancer, 701  
at end of life, 189  
after radiation therapy, 702  
pressure (*see* Pressure sores)  
skin (*see* Skin, ulcers of)  
venous, 448–450, 575

Ultrasound (ultrasonography), 112–113  
in aortic aneurysm, 571  
for bone density, 261  
cardiac (*see* Echocardiography)  
in clotting disorders, 661  
in deep vein thrombosis, 578  
for heat therapy, 147–148  
for pain, 289  
in peripheral arterial disease, 562  
in prostate cancer, 708  
in stroke, 333  
for thyroid nodule, 413  
of uterus, 785

Ultraviolet radiation, 11–12

Umbrella filter, 579, 580

Undergarments, for incontinence, 777–778

Undernutrition, 199–207  
causes of, 200–203  
during hospitalization, 130–131  
after surgery, 144

Underweight, 40, 41

United States  
aging population of, 18–20  
disability and disease in, 22–23  
financial characteristics of, 20–21  
living arrangements in, 21–22, 165–175

- United States (*continued*)  
 minority population of, 20  
 mortality in, 23–25
- Unna boot  
 for pressure sores, 447  
 for venous ulcers, 450
- Unstable angina, 586, 599–600
- Urate crystals, in gout, 530–534, 535
- Ureter, 768
- Ureteroscopy  
 infection with, 764  
 in urinary tract infection, 766
- Urethra, 768  
 aging of, 16, 769  
 atrophy of, 770, 775, 781  
 collagen injection of, in stress incontinence, 776  
 stricture of  
 after prostate cancer treatment, 711  
 urinary incontinence and, 772
- Urethritis, atrophic, 775, 781  
 urinary incontinence and, 770
- Urge incontinence, 769–770, 774–775  
 in benign prostatic hyperplasia, 792
- Uric acid  
 in gout, 530–534  
 in multiple myeloma, 706
- Urinalysis, 774
- Urinary incontinence (*see* Incontinence, urinary)
- Urinary tract  
 aging of, 16  
 infection of, 762–766  
 stones in, 530, 531, 532, 534
- Urination, 762, 768–769  
 abnormal heart rhythms with, 619  
 aging-related changes in, 16  
 in benign prostatic hyperplasia, 792, 794  
 burning sensation with, 764  
 catheterization for, 129 (*see also* Catheter[ization])  
 in diabetes, 416  
 double, 777  
 fainting with, 239  
 in heart failure, 612
- Urination (*continued*)  
 incontinence of (*see* Incontinence, urinary)  
 nocturnal (nocturia), 764  
 in benign prostatic hyperplasia, 792  
 diuretics and, 218  
 sleep disturbance with, 374  
 opioid effects on, 294  
 prompted, 777  
 prostate cancer and, 707  
 after prostate cancer treatment, 711  
 in urge incontinence, 774–775
- Urine (*see also* Urination)  
 air in (pneumaturia), 764  
 appearance of, 764  
 blood in, 652  
 culture of, 765  
 ketones in, 426  
 loss of (*see* Incontinence, urinary)  
 residual, 765, 769, 773–774  
 retention of, 772, 793  
 after surgery, 143  
 sugar in, 426  
 tests of, 765
- Urodynamic tests  
 in incontinence, 774  
 in pelvic support disorders, 788
- Urokinase  
 in coronary artery disease, 595  
 in deep vein thrombosis, 580
- Urolithiasis, 531, 534
- Urologist, 87
- Usual aging, 4
- Uterus, 780  
 aging of, 17  
 biopsy of, 784–785  
 prolapse of, 786, 787
- Uvulopalatopharyngoplasty, 383

---

## V

- Vaccines, 31–32  
 in COPD, 730  
 effectiveness of, 18  
 in heart failure, 611  
 influenza, 723–724  
 pneumococcal, 720

- Vacuum devices, in erectile dysfunction, 803
- Vagina, 779–780  
 atrophy of, 17, 781–782  
 estrogen therapy for, 781–782, 789  
 bleeding from, 784–785  
 discharge from, 781  
 infection of, 781, 782  
 inflammation of, 781–782  
 prolapse of, 786, 787
- Vaginitis, atrophic, 781–782
- Vagus nerve, stimulation of, abnormal heart rhythms with, 619
- Valerian, 59, 72
- Valsartan  
 in coronary artery disease, 592  
 in heart failure, 614  
 in high blood pressure, 548
- Valves  
 heart (*see* Heart valves)  
 in veins, 553, 573
- Vardenafil  
 in erectile dysfunction, 802  
 nitroglycerin interaction with, 803
- Varicella-zoster virus infection, 442 (*see also* Shingles [herpes zoster])
- Varices, esophageal, 669
- Varicose veins, 573–575  
 esophageal, 669
- Vascular dementia, 322–324
- Vasculitis, 525
- Vasodilators, in heart failure, 616
- Vasomotor rhinitis, 488
- Vasovagal attack (syncope), 240, 243
- Veins, 551–553  
 blood clots in, 577–580  
 dilation of, 551, 553  
 inflammation of, 575–576  
 spider, 574–575  
 stripping of, 575  
 valves of, 553, 573  
 varicose, 573–575  
 in myelofibrosis, 669
- Vena cava  
 inferior, 552  
 lung cancer spread to, 698  
 superior, 552
- Venlafaxine, 395
- Venography, in clotting disorders, 661
- Venous insufficiency, chronic, 448–449, 577, 580, 660
- Venous ulcers, 448–450, 575
- Ventilation, mechanical  
 in COPD, 734  
 in heart failure, 613
- Ventricles (heart), 583, 604
- Ventricular fibrillation, 618, 626, 632–633
- Ventricular tachycardia, 618, 631–632
- Verapamil  
 in abnormal heart rhythms, 623, 629–630  
 in coronary artery disease, 594  
 in high blood pressure, 549  
 urinary incontinence with, 771
- Verbal apraxia, 162–163
- Vertebrae (*see also* Spine)  
 compression fracture of, 259–260, 280–282  
 degenerative disease of, 233  
 misalignment of, 73  
 osteoporosis of, 259–260
- Vertebrobasilar insufficiency, 241
- Vertebroplasty, 281
- Vertigo, 231  
 benign positional, 232, 235, 237, 238  
 in Meniere's disease, 232, 235  
 in stroke, 330
- Vesicoenteric fistula, 762–763, 764
- Vesicovaginal fistula, 763, 764
- Vestibule, vulvar, 779, 782
- Veterans Affairs, 854, 858–859
- Viatical loan or settlement, 181
- Viral infections (*see also specific viral infections*)  
 in cardiomyopathy, 606  
 cold sores with, 506–507  
 in COPD, 732  
 heart failure and, 607  
 laryngitis with, 493  
 lung, 721–725  
 rhinitis with, 487  
 sinusitis with, 490  
 vaccine for, 31

- Vision
- aging-related changes in, 7, 9–10
  - double, 453, 539
  - impairment of, 450–451
    - in age-related macular degeneration, 459
    - aids for, 460
    - cataracts and, 451–455
    - in diabetes, 416, 417, 460–462
    - dizziness and, 232, 236
    - doctor-patient communication and, 80–81
    - driving and, 828
    - in glaucoma, 456
    - information resources on, 882–883
    - in ischemic optic neuropathy, 464–465
    - in occipital lobe stroke, 465
    - ocular blood flow disruption and, 462–465
    - in progressive supranuclear palsy, 368
    - rehabilitation for, 163
    - with retinal emboli, 464
    - screening for, 34
    - sleep disorders with, 373–374, 375
    - in stroke, 158, 330
    - sudden (amaurosis fugax), 462
    - in temporal arteritis, 539, 541
- Vitamin(s), 38–39
- deficiency of, 200, 207–210
  - in food, 37
  - high doses of, 207
  - supplemental, 2
- Vitamin A (retinol), 2
- Vitamin B<sub>6</sub> (pyridoxine)
- in coronary artery disease, 591
  - deficiency of, 659
- Vitamin B<sub>12</sub> (cobalamin), 39
- in coronary artery disease, 591
  - deficiency of, 208, 650, 652, 654–655, 659
  - dizziness in, 233, 235
  - mental function in, 308
  - supplemental, 654–655
- Vitamin C (ascorbic acid)
- antioxidant activity of, 2
  - Vitamin C (ascorbic acid) (*continued*)
    - deficiency of, 208
- Vitamin D, 38–39
- in bone maintenance, 255, 256
  - in calcium metabolism, 12
  - deficiency of, 130, 208, 221, 256
  - supplemental, for osteoporosis prevention, 262–263
- Vitamin E
- antioxidant activity of, 2
  - supplemental, in dementia, 317
- Vitrectomy, 461
- Vocal cords, 486
- atrophy of, 491–493
  - inflammation of, 493
  - paralysis of, 492
  - spasms of, 355
- Voice
- age-related changes in, 486
  - disorders of, 491–493
- Voice box (*see* Larynx)
- Voiding (*see* Urination)
- Volunteering, 824–825
- information resources on, 889
- Vomiting
- abnormal heart rhythms with, 619
  - in cancer, 679
  - in terminal illness, 188
  - undernutrition and, 201
- Vulva
- cancer of, 714–715
  - inflammation of, 781–782
  - pain in, 782
  - skin disorders of, 782–783
- Vulvodynia, 782
- 
- W**
- Walker, 150, 152
- Walking, 30, 148–149
- on artificial leg, 160–161
  - assistive devices for, 150–151, 152
    - after hip replacement, 159
  - by blind person, 163
  - in diabetes prevention, 418
  - gait training for, 150–151
    - after hip replacement, 159
    - after stroke, 158

- Walking (*continued*)  
 after heart attack, 601  
 in heart failure, 609  
 pain with, 416, 561, 816  
 in Parkinson's disease, 361–362  
 in peripheral arterial (vascular) disease, 816–817  
 in Shy-Drager syndrome, 369  
 on stairs, 150  
 after surgery, 142  
 treadmill, after stroke, 817
- Warfarin, 662  
 in atrial flutter and fibrillation, 630  
 in clotting factor disorders, 661–662  
 in coronary artery disease, 592  
 in deep vein thrombosis, 580  
 discontinuation of  
   before colonoscopy, 116  
   before electromyography, 120  
   before esophagogastroduodenoscopy, 118  
   before prostate biopsy, 121  
   before skin biopsy, 122  
 after heart attack, 601  
 in heart failure, 613, 615  
 in heart valve disorders, 640–641  
 medicinal herb interactions with, 54–55, 56, 57, 58, 59  
 in retinal embolism, 464  
 in stroke prevention, 324, 335
- Warming therapy  
 in hypothermia, 226  
 during surgery, 140
- Warts, seborrheic, 435
- Water (*see also* Fluid[s])
- Water (body)  
 aging-related changes in, 214  
 balance of, 213–218  
 deficiency of (*see* Dehydration)  
 excess of, 216–218  
 retention of (*see* Swelling [edema])  
 sodium level and, 219–220
- Water (dietary) (*see also* Fluid therapy)  
 daily requirement for, 39, 205  
 in fainting prevention, 244  
 during hospitalization, 130
- Water (dietary) (*see also* Fluid therapy)  
 (*continued*)  
 in incontinence treatment, 774
- Water enema, 752
- Weakness  
 bed rest and, 128  
 in cancer, 675  
 dizziness and, 233  
 in postpolio syndrome, 349
- Webs, esophageal, 738, 741, 743
- Weight  
 in coronary artery disease, 591  
 gain in, 35 (*see also* Obesity)  
 loss of, 188, 204  
   in atherosclerosis, 558  
   in cancer, 674, 679  
   in COPD, 728  
   in gout, 532  
   in heart failure, 610  
 monitoring of, in heart failure, 611  
 normal, 40, 41  
 undernutrition and, 200
- Weight lifting, 30
- Wet gangrene, 561
- Wheelchair, 151, 153
- Wheezing  
 in COPD, 729  
 in lung cancer, 697
- Whirling sensation (*see* Vertigo)
- White blood cells, 648–649  
 in urinary tract infection, 765
- White-coat hypertension, 546
- White-noise generator, in tinnitus, 481–482
- Wide excision surgery, in breast cancer, 686, 687
- Will, living, 25, 138, 192–193, 851–852
- Withdrawal, from opioids, 293
- Women's health resources, 889
- Work, retirement from, 820–821
- Worry (*see* Anxiety)
- Wrinkling, 11–12
- Wrist  
 carpal tunnel syndrome of, 346  
 fracture of, 275, 283–284
- Writer's cramp, 355
- Writing, in Parkinson's disease, 362

---

**X**

---

Xanthelasma, 469  
Xerosis, 432–433  
Xerostomia (*see* Dry mouth)  
X-rays  
  chest, in heart failure, 609  
  in constipation, 751–752  
  of fracture, 270  
  of joints, 521

---

**Y**

---

Yeast infection, vaginal, 781  
Yellow, perception of, 9  
Yoga, 2

---

**Z**

---

Zaleplon, 377–378  
Zanamivir, 724, 725  
Zenker's diverticulum, 738, 739, 742, 743  
Zinc deficiency, 210  
Zinc lozenges, 487  
Ziprasidone, 404–405  
Zoledronic acid  
  in multiple myeloma, 705  
  in prostate cancer, 712  
Zolpidem, 377–378  
Z score, 261

*The Merck Manual of Health & Aging* is set in 11 point Cheltenham Book, with heads set in Frutiger Bold. The original draft was produced using Microsoft Word and transmitted to Nesbitt Graphics in Fort Washington, Pennsylvania, where it was electronically assembled as pages using Quark. The original pen and ink illustrations were scanned and digitized at Nesbitt Graphics using Adobe Illustrator. The book was printed by the web offset printing process on 38-pound paper at Quebecor World in Taunton, Massachusetts.